

SHOP ESSENTIALS PROMOTION!

41-PC. 1/4" & 3/8" DRIVE S.A.E./METRIC SOCKET SET

- Ratchet features a quick-release button
- Laser-marked, 6-point sockets
- Includes: 35 chrome vanadium steel standard sockets and six accessories



aurora tools

Model No.	Promo Price
TLV360	89.00

COMBUSTIBLE GAS DETECTOR

- Following is a partial list of the more common gases detected: natural gas, propane, butane, methane, acetone, alcohol, ammonia, steam, carbon monoxide, gasoline, jet fuel, hydrogen sulfide, smoke, industrial solvents, lacquer thinner, naphtha
 - Audible and visible alarms
- Low power semi-conductor sensor
- Includes: Soft carrying case and batteries



REED

Model No.	MFG No.	Promo Price
IA394	R9300	129.00

ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision-machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Plain handle
- Black nickel finish resists rust
- Meets ANSI standards
- Jaw Type: Standard

TJZ104



aurora tools

Model No.	Max. Jaw Width"	Length"	Promo Price
TJZ104	1-3/4	15	41.95
TJZ105	2-1/4	18	74.99

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- Includes: 10' neoprene hose, striker and on/off valve



**WESTERN
ENTERPRISES**

Model No.	MFG No.	Promo Price
312-4904	WB-101	110.00

Pricing in effect until December 27, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219102NA

CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6-1/4"



Model No.	Promo Price
NP532	4.75

ER70S6 CARBON STEEL WELDING WIRE


- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6



Model No.	Wire Diameter"	Spool Wt.	Spools per Master Box	Promo Price
NT549	0.023	2 lbs./0.9 kg	18	5.99/Spool
NT550	0.030	2 lbs./0.9 kg	18	3.99/Spool
NT551	0.035	2 lbs./0.9 kg	18	3.99/Spool
NT552	0.045	2 lbs./0.9 kg	18	3.85/Spool
NT553	0.023	11 lbs./5 kg	4	25.90/Spool
NT554	0.030	11 lbs./5 kg	4	17.50/Spool
NT555	0.035	11 lbs./5 kg	4	16.90/Spool
NT556	0.023	33 lbs./15 kg	1	69.50/Spool
NT557	0.030	33 lbs./15 kg	1	47.90/Spool

MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- Adheres to any metal object
- Ideal for welding, soldering, assembly and pipe installation



Model No.	Description	Dimensions"	Promo Price
NT626	Medium	5 x 3-1/4 x 1/2	2.75
NT627	Large	6-1/4 x 4 x 3/4	4.75
NT628	X-Large	8 x 5 x 1	6.75

4-PC. WELDING CLAMP SET


- Includes:
 - TJZ096 C-Clamp with swivel pad - 6"
 - TJZ097 C-Clamp with swivel pad - 11"
 - TJZ098 Locking welding clamp - 9"
 - TJZ099 Locking sheet metal tool - 8"



Model No.	Promo Price
TLV133	59.95

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
 - Length: 12"
- Sold per package



Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	21.50/Pkg.
NT633	3/16	50	12.95/Pkg.
NT634	1/4	50	16.25/Pkg.
NT635	5/16	50	19.60/Pkg.
NT636	3/8	50	28.95/Pkg.
NT637	1/2	50	53.75/Pkg.

FLINT LIGHTERS

- Choice of single or tri-flint lighters
- Additional flints sold separately



Model No.	Description	Promo Price
NT642	Single Flint Lighter	2.65
NT663	Flints, 5 per Holder	1.75
TTU071	Tri-Flint Lighter	3.24
TTU072	Flints - Each	0.85

PYTHONRAP™ CABLE COVER

- Nylon cover
- Full-length zipper
- 22' L x 4" W



Model No.	Promo Price
NT887	29.95



CABLE PROTECTOR

- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
 - Metal snaps every 3"
 - 22' L x 4" W



Model No.	Promo Price
NP520	49.95




MULTI-PURPOSE MIG PLIERS

- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish

NT666



NP537



TYX128



Model No.	Description	Promo Price
NP537	8-way pliers	9.95
TYX128	Premium welding pliers	15.25
NT666	Holster	3.99

SOAPSTONES & HOLDERS

- All-metal construction holders
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box

NT638



NT639



Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	2.79/Ea.
NT225	Flat Soapstone - 144 Pieces	25.25/Box
NT638	Round Soapstone Holder	2.95/Ea.
NT226	Round Soapstone - 144 Pieces	22.75/Box

STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
 - Welds up to 1/2" and cuts up to 5" with larger tips
 - Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU521	4403224	529.00

LIGHT/MEDIUM DUTY TOTE-A-TORCH OUTFIT


- For use in general repair, maintenance and HVAC applications
- Can weld up to 3/16" and cut up to 1/2"
 - Rear entry regulators provide better balance
 - Acetylene regulator has an MC CGA200 inlet connection; oxygen regulator has standard CGA540 connection
- Includes: Torch handle with check valve, Cutting attachment, Oxygen/acetylene regulators with 2" double-scale gauges, Cutting tip, Welding nozzle, 12.5' twin hose, Goggles, Striker, Tank wrench, Cylinders, Polypropylene carrier



Model No.	MFG No.	Promo Price
TTT892	72-PTC	699.00

WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)



aurora tools®

Model No.	Hose Length'	W"	Dimensions x D" x H"	Promo Price
TLZ487	25	8	14-3/4 x 13-5/8	125.00
TLZ488	50	8 5/8	20-1/2 x 20-1/2	169.00

PB090



TULINE TWIN WELDING HOSE ASSEMBLIES

- Premium quality US made hose with B size brass fittings
- Nominal I.D.: 1/4"

HBD/Thermoid, Inc.

Model No.	MFG No.	Length'	Promo Price
GRADE R			
PB090	00521484225	25	39.95
PB091	00521484250	50	69.00
PB092	00521484290	100	129.00
GRADE T			
PB069	00521584225	25	64.75
PB070	00521584250	50	117.00
PB071	00521584290	100	215.00

HEAVY-DUTY "C-STYLE" GROUND CLAMP

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector
- Amperage Rating: 600



WELD-MATE

Model No.	Promo Price
NT665	39.95

SPIRAL TIP CLEANERS

- Quality aluminum case
- Cleaning data on back of case
- Includes hardened steel file

WELD-MATE



NT641

Model No.	Description	No. of Cleaners	Promo Price
NT641	Standard Set	12	2.29
TTV223	King Set	13	2.19

QUICK-CONNECT SETS

- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
- Pressure up to 125 PSI
- B-size, 9/16"-18 UNF thread with reverse flow check valves

312-4276



312-4280



312-4284



WESTERN ENTERPRISES

Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	59.95
312-4280	QDB20	Hose-to-Hose	63.50
312-4284	QDB30	Regulator-to-Hose	63.50

FLASHBACK ARRESTORS

- Color-coded for gas service to provide added safety - oxygen (green), fuel gas (red)
- Internal check valves designed to prevent reverse flow and accidental mixing of oxygen and fuel gases
- Maximum operating pressures are 15 PSIG for acetylene, 22 PSIG for other fuel gases and 125 PSIG for oxygen
- Rated capacity of 40 SCFH with a 5 PSIG pressure drop
- 10" maximum cutting capacity
- UL listed and 100% tested

WESTERN ENTERPRISES

312-3377



312-3376



Model No.	MFG No.	Connection Type	Components	Promo Price
312-3376	FA-10	Torch	FA-100P, FA-200P	59.00
312-3377	FA-30	Regulator Adaptor	FA-130P, FA-230P	64.95

COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS

FRAMES

- High durability with extreme versatility
- Includes 360° swivel connectors that allow various configurations
- Easy assembly, no tools required

2 screens shown, sold per screen

LAVASHIELD™ CURTAINS

- Specially formulated 16-mil thick vinyl
- NT894 and NT895: 25-mil thick cotton duck canvas
- Grommets every 12" (30.5 cm) interval
- Screen edges are hemmed with DuPont® Kevlar® stitching
- Resists UV rays, flame and abrasion



FRAMES ONLY

Model No.	Description	Promo Price
NT834	Modular Frame, Adjustable Width 6' or 8'	81.99



LAVASHIELD™ CURTAINS & FRAMES

Model No.	Dim. W' x H'	UV Resistance	Colour	Promo Price
HIGH TRANSPARENCY				
NT888	6 x 6	Moderate	Yellow	110.89
NT889	8 x 6	Moderate	Yellow	118.29
NT890	6 x 6	Moderate	Orange	110.89
NT891	8 x 6	Moderate	Orange	118.29
MODERATE TRANSPARENCY				
NT892	6 x 6	Moderate	Green	110.89
NT893	8 x 6	Moderate	Green	118.29
OPAQUE TRANSPARENCY				
NT894	6 x 6	Maximum	Olive	155.99
NT895	8 x 6	Maximum	Olive	174.99

OPTIONAL CASTERS

Model No.	Description	Promo Price
SEB618*	2" Rubber Caster with Brake	4.59

* Sold individually, two casters required per frame's foot

LAVASHIELD™ WELDING BLANKETS

- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Black 24-oz. fibreglass coated with neoprene on both sides
- Temperature resistant: 1000°F (538°C)



Model No.	Dimensions W' x L'	Promo Price
NT896	6 x 6	74.99
NT821	6 x 8	98.89

WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty



Model No.	MFG No.	Dimensions W' x L'	Promo Price
NG181	447.916X2X3BK	2 x 3	69.00
NG182	447.916X3X5BK	3 x 5	179.00

GAS CYLINDER CABINETS

- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- English and French warning labels included

Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.



SEB837



SAF847



Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Promo Price
FOR 35-LB. LIQUID PROPANE CYLINDERS			
SEB837**	30 x 17 x 37	2	401.00
SEB838**	17 x 17 x 69	2	479.00
SAF836	44 x 30 x 37	6	819.00
SAF847	44 x 30 x 74	12	999.00
FOR 9" DIAMETER GAS CYLINDER BOTTLES			
SAF837	44 x 30 x 74	10	999.00
SAF848*	88 x 30 x 74	20	1649.00

* Consists of two units of the SAF837

** All-welded, fully assembled

DEERSKIN TIG WELDERS' GLOVES

- Standard quality split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- 4" gauntlet cuff for superior protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Model No.	Size	Promo Price
SM597	Small	10.99/Pair
SM598	Medium	11.29/Pair
SM599	Large	11.49/Pair
SM600	X-Large	11.89/Pair
SAP293	2X-Large	12.69/Pair

PREMIUM QUALITY WELDERS' GLOVES

- Premium split cowhide leather construction
 - Excellent abrasion resistance
- Outside double palm and thumb extend wear life
 - Thermal cotton palm lining provides added heat protection
- Welded seams at all critical points
 - Sewn with Kevlar® thread to avoid burning
 - Large



Model No.	Promo Price
SAN635	6.99/Pair

LAVA BROWN LEATHER JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
 - Double-lock stitched seams
- Roll-up collar stops shooting spatter
 - Includes: Full-sized pocket and multiple-snap adjustment cuffs



TTU398



Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	116.99
TTU399	Large	44-46	116.99
TTU400	X-Large	48-50	116.99
TTU401	2X-Large	52-54	127.99
TTU402	3X-Large	56-58	137.99
TTU403	5X-Large	64-66	159.99

LAVA BROWN LEATHER SPATS

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue



TTU390



Model No.	Length	Promo Price
TTU390	6"	21.99/Pair
TTU391	14"	49.89/Pair

JACKSON SAFETY* WH40 NITRO* VARIABLE ADF WELDING HELMET

- Offers welders outstanding features at an economical price point
- Variable shade 9-13, sensitivity and delay adjustments
- Lightweight - Only weighs 1 pound fully assembled
- Three independent sensors
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- Colour: Blue



JACKSON
SAFETY

Model No.	MFG No.	Promo Price
SAS083	21931	119.99

V90 SHIELD* GOGGLES

- Features the Monogoggle* XTR* with indirect ventilation and a polycarbonate shield for full face protection
 - Shield detaches from the goggles
- Curved face shield conforms to shape of face offering added protection
 - Can be used over most prescription eyeglasses
- Meets ANSI impact standard Z87.1+
 - Band Type: Neoprene



TTT954



TTT955

KleenGuard

Model No.	MFG No.	Description	Promo Price
TTT954	18629	Clear Anti-Fog	18.35
TTT955	18631	Shade 3.0 Anti-Fog	24.25
TTT956	18633	Shade 5.0 Anti-Fog	24.25

Z100 SERIES EYEWEAR

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Extendable and ratchet temple provides superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Lens Tint: Clear
- Frame Colour: Black



Model No.	Standard(s) Met	Promo Price
ANTI-SCRATCH		
SEH642	CSA Z94.3	2.50
ANTI-FOG/ANTI-SCRATCH		
SGF244	ANSI Z87+, CSA Z94.3	2.85

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Soft foam nose cushion
- Style: Cup
- NIOSH approved N95
- 10 respirators per box



MOLDEX

Model No.	MFG No.	Description	Promo Price
SE850	2301N95	Small	27.95
SE849	2300N95	Medium/Large	27.95
SE851	2307N95	Low Profile	27.95

SDK994



MX-6 EARMUFFS

- Soft cushion-ribbed open air headband
 - Lightweight wire frame allows easy cup adjustment
- Extra soft foam/low pressure cushions and headband are PVC-free
 - CSA Class AL
 - NRR dB: 30



SDK996

MOLDEX

Model No.	MFG No.	Description	Promo Price
SDK994	6130	Headband	32.35
SDK996	6135	Hygiene Kit	11.50

9000 FULL FACEPIECE RESPIRATORS



- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
 - Ultra lightweight, durable, and economical
 - Lightweight facepiece weighs less than 12.7 oz.

MOLDEX

Model No.	MFG No.	Size	Promo Price
SEC567	9001	Small	138.00
SEC568	9002	Medium	138.00
SEC569	9003	Large	138.00

7000/9000 SERIES PARTICULATE FILTERS & RETAINERS



MOLDEX

Model No.	MFG No.	Description	Qty /Pkg.	Promo Price
SEC570	8910	N95 Prefilter	10	17.40/Pkg.
SEC571	7940	P100 Prefilter	2	8.30/Pkg.
SEC572	7020	Prefilter Retainer	2	3.99/Pkg.
SEC573	7920	Piggyback Adapter	2	5.30/Pkg.

PURA-FIT® PLUGSTATION® EARPLUG DISPENSERS



SF624

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
 - NRR dB: 33

MOLDEX

Model No.	MFG No.	Description	Pairs /Dispenser	Promo Price
SDL454	6882	Corded	150	51.25
SE847	6844	Uncorded	250	43.95
SF624	6845	Uncorded	500	84.95

HOSE REELS

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI



TLZ484

aurora tools®

Model No.	Hose I.D."	Hose Outlet" (M) NPT	Hose Length'	Promo Price
TLZ482	1/4	1/4	35	159.00
TLZ483	3/8	1/4	25	169.00
TLZ484	3/8	1/4	35	199.00
TLZ485	3/8	1/4	50	269.00
TLZ486	1/2	1/2	50	279.00

5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



aurora tools®

Model No.	Promo Price
THZ674	165.75

1/4" PNEUMATIC DIE GRINDERS

- Twin bearing spindle
- 1/4"-18 NPT air inlet
- 3/8" hose size



aurora tools®

Model No.	Description	RPM	HP	Promo Price
THZ678	Mini	25000	0.35	59.95
THZ679	Angle	18000	0.45	72.50

HEAVY-DUTY AIR COMPOSITE IMPACT WRENCHES

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch and high-low speed regulator
- Free speed: 10000 RPM
- Hose diameter: 3/8" (9.5 mm)
- Air inlet: 1/4" - 18 NPT



TLZ137

aurora tools®

Model No.	Average Air Consumption CFM	Torque Range ft.-lbs.	Promo Price
3/8" SQUARE DRIVE			
TLZ137	10.6	90-280	219.00
1/2" SQUARE DRIVE			
TLZ138	13.7	400-1000	307.75

1/4" AIR SCREWDRIVER

- 1/4"-18 NPT air inlet, 6 CFM
- 1800 RPM; 0.5 HP
- Torque range: 45-115 ft.-lbs.
- 3/8" hose size



aurora tools®

Model No.	Promo Price
TLV495	129.00

3" AIR CUT-OFF TOOL

- 21 000 RPM; 0.45 HP
- 3 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



aurora tools®

Model No.	Promo Price
THZ677	54.95

6-PIECE COLD CHISEL SET

- Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Precisely ground cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use
- Includes: 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4"



auroratools®

Model No.	Promo Price
TLZ420	35.15

DUAL FOOT INFLATOR GAUGE



- 12" hose
- For uses on motor homes and other vehicles with smaller dual wheels
 - Nitrogen compatible
- Pressure Range: 10.0 to 160.0 PSI
 - Increments: 2 psi

TOPRING

Model No.	MFG No.	Promo Price
TGA457	63.658C	66.95

PRY BARS

- Forged from premium alloy steel
- Corrosion resistant
- Heat-treated for maximum durability
- High visibility, oil and solvent resistant acetate handle
- Limited lifetime warranty
- Width: 1-1/4"
- Width of cut: 5/8"



GRAY TOOLS

Model No.	MFG No.	Shank Size"	Overall Length"	Promo Price
NICKEL PLATE FINISH				
TYP481	73418	1/2	24-1/4	41.49
BLACK OXIDE FINISH				
TYP485	73508	3/8	13	30.49
TYP487	73518	1/2	24-1/4	41.49
TYP486	73513	3/8	18-1/4	33.29

4-1/2" SMALL ANGLE GRINDER

- Provides maximum performance and durability
- Electronic clutch extends tool life and prevents bind-up
- Easily change all accessories without a wrench
- Provides quick guard installations and adjustments
- Includes: (1) 11 AMP 4-1/2" small angle grinder paddle no-lock, (1) contractor bag, (1) flange, (1) grinding wheel, (1) side handle, (1) spanner wrench, (1) type 27 guard
- Voltage: 120 V
- Amps: 11 A
- No Load RPM: 12 000
- Spindle Size: 5/8"-11
- Tool Warranty: 5 years



Model No.	MFG No.	Promo Price
TYX084	6141-31	145.00

DEEP CUT BAND SAW


- Variable speeds dial and trigger and 2-finger variable speed trigger
- Adjustable material guide
- Includes: Carrying case
- Surface Feet per Minute: 0-380
- Cutting Capacity Rectangular: 5"
- Cutting Capacity Round: 5"
- Voltage: 120 V
- Amps: 10.5 A



Model No.	MFG No.	Promo Price
TLV447	6232-21	399.00

BI-METAL 14T BANDSAW BLADE 44-7/8"

- Thickness: 0.020"
- Material: Bi-Metal



Model No.	MFG No.	Promo Price
VF790	48-39-0510	12.49

A097 SERIES JOBBER DRILL SETS

- TiN coated tip that increases surface hardness and improves tool life
- Low thrust design with self centering split point that makes for easier penetration
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Point Angle: 118°
- Cutting Direction: Right Hand
- Case Included
- **Note:** Sizes 47 to 60 and 1/16" to 5/64" have no split point or TiN tip

DORMER



TCP405

Model No.	MFG No.	No. of Pieces	Sizes	Promo Price
TCP405	0574317	29	1/16" to 1/2" by 1/64"	179.99
TCP406	0574348	15	1/16" to 1/2" by 1/32"	99.99
TCP407	0574355	13	1/16" to 1/4" by 1/64"	37.99
TCP408	0574324	60	1 to 60	139.99
TCP409	0574331	26	A to Z	198.99
TCP410	0574362	115	A to Z, 1 to 60, 1/16" to 1/2" by 1/64"	549.99

BLUE WIZARD TAP & DRILL SETS

- Includes corresponding drill bits
- Spiral point NC Taps with matching drills
- Premium high speed steel

BG080



CLARKSON OSBORN

NC (National Coarse) BG080 contains		NF (National Fine) BG078 contains		Metric BG079 contains	
TAP	DRILL	TAP	DRILL	TAP (mm)	DRILL (mm)
#6-32	#36	#6-40	#33	2.5 x 0.45	2.05
#8-32	#29	#8-36	#29	3.0 x 0.5	2.5
#10-32	#21	#10-32	#21	3.5 x 0.6	2.9
#12-24	#16	#12-28	#15	4.0 x 0.7	3.3
1/4-20	#7	1/4-28	#3	5.0 x 0.8	4.2
5/16-18	F	5/16-24	#1	6.0 x 1	5
3/8-16	5/16	3/8-24	Q	8.0 x 1.25	6.7
7/16-14	U	7/16	25/64	10.0 x 1.5	8.5
1/2-13	27/64	1/2-20	29/64	12 x 1.75	10

Model No.	MFG No.	Description	Promo Price
BG080	DR06899	NC (National Coarse)	144.99
BG078	DR06818	NF (National Fine)	144.99
BG079	DR06895	Metric	164.99

HOLE DOZER™ HOLE SAW KITS



TBO157



TBO165

Milwaukee

Model No.	MFG No.	Description	No. of Pieces	Promo Price
TBO157	49-22-4175	General Purpose	15	154.99
TBO165	49-22-4185	All Purpose Professional	28	369.99

8 PIECE SOLID CARBIDE BURR SET

- 1/4" Shank with double cut head
- Trade No.: SA-5/SC-3/SC-5/SD-5/SF-3/SF-5/SG-3/SL-4



CLARKSON OSBORN

Model No.	MFG No.	Promo Price
BL445	SC90801	249.99

STEP DRILLS

- High speed steel
- Bright finish
- Point Angle: 135°
- Applications: Stepped cone design provides better control of hole sizes in materials up to 1/8" thick. One step drill does job of up to 13 different size drills. Holes are automatically deburred by cutting edge of next larger size. Ideal for sheet metal and hole-enlarging work.

CLARKSON OSBORN



Model No.	MFG No.	Min. Drill Size"	Max. Drill Size"	Drill Increment"	Shank Size"	Range"	Size	No. of Holes	Promo Price
TJZ795	DR70001	1/8	1/2	1/32	1/4	1/8 to 1/2	#1	13	21.49
TJZ796	DR70002	3/16	1/2	1/16	1/4	3/16 to 1/2	#2	6	19.99
TJZ797	DR70003	1/4	3/4	1/16	3/8	1/4 to 3/4	#3	9	35.99
TJZ798	DR70004	3/16	7/8	1/16	3/8	3/16 to 7/8	#4	12	24.49
TJZ799	DR70005	1/4	3/8	1/8	1/2	1/4 to 1 3/8	#5	10	42.49



SCOTCH-BRITE™ HAND PADS

- Excellent products for hand finishing, polishing, cleaning, blending, deburring of wood, metals and composites
 - Ideal for wood finishing, paint preparation and general cleaning
 - 6" x 9" sheets
 - Can be used dry or with water or solvents

BP486



Model No.	MFG No.	Grit	Colour	Qty /Box	Promo Price
BP486	SB18451	Coarse	Tan	40	3.09/Pad
BP482	SB18453	Medium	Grey	40	2.09/Pad
BP484	SB04029	Very Fine	Maroon	60	0.99/Pad
BP492	SB14049	Ultra Fine	Light Grey	60	0.99/Pad
BP488	SB17637	Cleaning	White	60	1.29/Pad
NC871	H-96-6X9	Scouring	Green	60	0.95/Pad

MACHINIST FILE SET

- Complete set of 7 files and file cleaner (card) fits easily and securely into a rugged, compact pouch
- Includes:
 - 10"/250 mm mill bastard file
 - 10"/250 mm half-round bastard file
 - 10"/250 mm flat bastard file
 - 10"/250 mm flat smooth file
 - 10"/250 mm square bastard file
 - 10"/250 mm round bastard file
 - 7"/175 mm slim taper file
 - 10"/250 mm file cleaner (card)

CRESCENT NICHOLSON



Model No.	MFG No.	Promo Price
QH790	22025NN	149.99

3M™ SILVER CUT-OFF WHEELS

- Ceramic cut-off wheel that is designed to cut quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing



Model No.	MFG No.	Dia."	Thickness"	Arbor Size"	Max. RPM	Promo Price
TYPE 1						
NV195	AB87457	3	0.035	1/4	25465	1.79
NV196	AB87458	3	0.035	3/8	25465	1.79
NV197	AB87459	3	0.060	3/8	25465	1.79
NV198	AB87460	4	0.035	1/4	19100	1.49
NV199	AB87461	4	0.035	3/8	19100	1.99
NV200	AB87463	4	0.050	3/8	19100	1.99
NV201	AB87462	4	0.060	3/8	19100	1.99
NV202	AB87464	4-1/2	0.040	7/8	13300	2.39
NV203	AB87465	4-1/2	0.045	7/8	13300	2.39
NV204	AB87467	5	0.045	7/8	12250	2.75
NV205	AB87469	6	0.045	7/8	10200	4.15
NV206	AB87471	7	0.045	7/8	8500	4.79
TYPE 27						
NV207	AB87466	4-1/2	0.045	7/8	13300	2.39
NV208	AB87468	5	0.045	7/8	12250	2.75
NV209	AB87470	6	0.045	7/8	10200	4.15



NT607

INDUSTRIAL-DUTY SCRATCH BRUSHES

- Wood handle
- Choice of carbon or stainless steel bristles

Model No.	Bristles	Rows	Promo Price
LONG HANDLE BRUSHES			
NT607	Carbon Steel	3 x 19	2.39
NT608	Carbon Steel	4 x 19	2.89
NT611	Stainless Steel	3 x 19	3.59
NT612	Stainless Steel	4 x 19	4.29
SHOE HANDLE BRUSHES			
NT609	Carbon Steel	3 x 16	2.35
NT610	Carbon Steel	4 x 16	2.45
NT613	Stainless Steel	3 x 16	4.35
NT614	Stainless Steel	4 x 16	4.59
TOOTHBRUSH CLEANING BRUSH			
NT615	Stainless Steel	3 x 7	1.09



STANDARD 2 IN 1 FLAP DISC WHEELS

- Standard aggressive fiber backed Zirconium
 - High removal rate
 - Comfortable with minimal load requirement
- For use on steel & stainless steel
 - Arbor Size: 7/8"
 - Type: 29
- Manufacturer Series: Standard 2 Star 2 in 1 wheel

Model No.	MFG No.	Grit	Dia."	Max. RPM	Prix promo
NU423	572473	40	4-1/2	13300	3.45
NU424	454393	60	4-1/2	13300	3.39
NU425	455312	80	4-1/2	13300	3.39
NU426	824385	40	5	12250	4.09
NU427	455303	60	5	12250	4.09
NU428	458587	80	5	12250	4.09

3M™ SILVER GRINDING WHEELS



- Ceramic grinding wheel that is designed to grind quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain grinds fast and cool
- No plowing
- Thickness: 1/4"
- Type: 27



Model No.	MFG No.	Dia."	Arbor Size"	Max. RPM	Promo Price
NV210	AB87455	4	3/8	15300	2.99
NV211	AB87456	4	5/8	15300	2.99
NV212	AB87453	4-1/2	7/8	13300	3.19
NV213	AB87454	5	7/8	12250	3.39
NV214	AB87450	6	7/8	10200	6.79
NV215	AB87451	7	7/8	8500	7.59
NV216	AB87452	9	7/8	6650	11.39

10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- **Included:**
 - Slotted Screwdriver 7/32" x 5"
 - Slotted Screwdriver 5/32" x 4"
 - Slotted Screwdriver 3/32" x 3"
 - Phillips® Screwdriver #1 x 3-1/8"
 - Phillips® Screwdriver #2 x 4"
 - Pozidriv® Screwdriver #1 x 3-1/8"
 - Pozidriv® Screwdriver #2 x 4"
 - Lineman Plier, 6"
 - Long Nose Plier, 6"
 - Side Cutting Pliers, 6"



aurora tools®

Model No.	Promo Price
TYP305	105.00

CONTROL SERIES TAPE MEASURES

- New design gives users maximum control when extending and retracting the tape blade
- The Drag Strip™ access opening on the bottom of the tape allows users to regulate blade feed and return with their fingertip for greater control
- 10' stand-out capacity and extra-wide end hook make this tape perfect for the toughest jobs
- Stud Markings: 16/19.2"



CRESCENT Lufkin

Model No.	MFG No.	Blade Dimensions L' x W"	Graduations	Promo Price
TLV745	CS8516	16 x 3/4	in/ft.	14.95
TLV746	CS8525	25 x 1-3/16	in/ft.	24.95
TLV747	CS8525ME	26 x 1-3/16	in/cm	24.95

COMPACT AVIATION SNIPS

- All three styles in a nylon pouch
- All the power of a full size aviation snip, but is 25% smaller
- Extremely compact cutting head allows for great maneuverability, cutting the narrowest radii
- Designed for long continuous, straight and curved cuts, sliding the surface being cut beneath your fingers and reducing the chance of injury

BESSEY

Model No.	MFG No.	Promo Price
TLV294	D15-SET	55.99



HOLD DOWN CLAMPS

aurora tools®

- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction
- Includes bonded neoprene-tipped spindle and flanged washers
- Open arm provides adjustable spindle location


TLV628



Model No.	Base L" x W"	Holding Cap. lbs	Promo Price
VERTICAL			
TLV625	1 x 1-3/4	200	10.50
TLV626	1-13/16 x 1-7/16	375	11.30
TLV627	1-7/8 x 2-1/2	600	13.95
HORIZONTAL			
TLV628	1-7/16 x 1-7/16	200	9.95
TLV629	1-3/8 x 1-1/2	500	11.30

HEAVY-DUTY BENCH VISES

- Fixed base
- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slipping



aurora tools®

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TYL093	4	4-1/2	2-7/10	129.00
TYL094	5	5-1/2	3-3/10	175.00
TYL095	6	6-1/2	3-1/2	249.00
TYL096	8	8-1/2	4	295.00

MICROMETER TORQUE WRENCHES

- Pliable, elastomer handle grip for superior comfort and oil resistance
- Accurate in clockwise direction +/- 3% in upper 80% of the range
- Micrometer twist lock ring provides secure locking mechanism
- Sealed tear-drop head provides access and strength and keeps out contaminants

GEARWRENCH

TLV412



Model No.	MFG No.	Drive Size"	Torque Range	Promo Price
TLV412	85061	3/8	25 - 250 in-lbs	129.00
TLV413	85062	3/8	10 - 100 ft-lbs.	149.00
TLV414	85066	1/2	30 - 250 ft-lbs.	169.00

RUBBER MALLETS

- Hardwood handle
- Non-marking rubber head



Model No.	Colour	Wt. oz.	Promo Price
TJZ043	Black	16	6.35
TJZ044	Black	32	7.65
TJZ045	White	16	7.85
TJZ046	White	32	9.95

COMBINATION FIXED HEAD RATCHETING WRENCH SETS

- Set includes a roll pouch and (8) SAE ratchet wrenches
- Ratcheting heads allow for faster removal and installation of fasteners
- 72-tooth ratchet gear & 12-point box end for snug fit
- Meets ANSI standards

NEW!



aurora tools®

Model No.	Size Standard	Includes	Promo Price
TEQ832	Imperial	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	99.95
TEQ834	Metric	8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 18 mm	99.95

13-IN-1 RATCHETING DRIVER

- Delivers over 225 in./lbs. of torque strength
- Precision 28-tooth ratchet design makes driving fasteners faster and easier
- Retractable bit cartridge provides time and space savings
- Cushion grip, tapered designed handle provides extra comfort and chamfered solid shaft for long life and durability
- Bit Sizes: Phillips 0, 1, 2, 3, Robertson 1, 2, Slot 4", 6", Torx 10, 15, 20, 25

MEGAPRO®
Every bit better.



Model No.	MFG No.	Promo Price
TNB482	211R2C36RD	46.75

PLIERS

- Sure gripping precision milled jaws
- Light and rugged drop-forged alloy steel
- Flush pivot design for use in tight spaces
- Meets ANSI standards



aurora tools®

Model No.	Description	Overall Length"	Promo Price
TJZ080*	Groove Joint	10	15.49
TJZ078	Slip Joint	6-1/2	8.45

* Grooves undercut and milled to prevent slipping when tightening

MAGNETIC SWEEPERS

- Two-Wheel Sweeper, 48" handle
- All models will pick any ferrous materials such as screws, nuts, wire, nails, tacks, bolts, staples and metal shavings
- Sweeper with quick release has a handle made of aluminum stainless steel with the magnet encased in the stainless steel
- Lightweight T-bar type made of heavy gauge aluminum for picking up ferrous debris from workbenches, floors and hard to reach areas

TLY304



MAG-MATE™

Model No.	MFG No.	Width"	Promo Price
TLY304	FS1200	12	139.00
TLY305	FS2400	24	229.00

DIGITAL MEASURING WHEEL

- Lightweight and easy to use, designed for professional and personal usage
- Large wheel model ensures accuracy and is ideal for uneven terrain
 - Suitable for outdoor and indoor distance measuring applications
- Pistol grip handle for ergonomic comfort
 - Measuring Range: 99999.9 m
 - Graduations: Feet/Metres
- Wheel Diameter: 12.5"/31.8 cm
 - Resolution: 0.1 m
- Power: 3 V (2 x LR3 Batteries)
- Suitable Temperature: -10°C - 45°C

aurora tools®



Model No.	Promo Price
TTY302	84.95

CITRUS BASE CLEANER

- Heavy-duty degreaser/cleaner
- Safe on metals, ceramic, glass, porcelain and many plastics
- Removes grease, oil, ink and most adhesives
- No harmful solvents
- Format: 24 oz.



Model No.	MFG No.	Promo Price
QN488	CITRUS-24OZ-IND	26.89



UTILITY GRADE DUCT TAPE

- Ideal for a wide variety of projects and applications
- Water resistant
- Easy to tear
- Width: 50 mm (2")
- Colour: Silver



PF688

KLETON

Model No.	Length	Thickness mils	Promo Price
PF689	45 m (150')	6	3.69
PF688	55 m (180')	9	5.49

LU204 DRY FILM GRAPHITE LUBRICANT

- Ideal where a dry lubricant is or where petroleum products must be avoided
- Adheres with minimum pre-treatment
 - Effective up to 850°F constant and 1000°F intermittent
- Dries rapidly at room temperature
 - Format: 16 oz.
 - Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AA107	SC0204000	9.49

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- An aqueous cleaner that removes heavy deposits of grease, oil and dirt
- Biodegradable, concentrated, non-abrasive and non-flammable
- Use caution on soft metals and painted surfaces
- Format: 32 oz.
- Container Type: Bottle



Model No.	MFG No.	Promo Price
AF112	74415	16.59

WD-40® SPECIALIST™ SPRAY & STAY

- Offers long-lasting lubrication that won't run, drip or make a mess
- Gel stays where you spray it, making it ideal for use on vertical surfaces and moving parts like chains, cables, gears, rollers and bearings
 - Safe on multiple surfaces including metal, plastic and rubber
- Effective Temperature Range: -100°F to 500°F
 - Film Type: Wet
 - Format: 425 g
 - Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AF176	01221	9.99

FREEZE SPRAY

- Aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment
- Assists in locating thermal intermittent components, failures and shorts
- Safe to use on sensitive components and all surfaces finishes
- Appearance: Clear Colourless Liquefied Gas
- Plastic Safe: Yes
- Flashpoint: None
- Evaporation Rate: Very Fast
- Net Volume: 355 ml
- Format: 284 g
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AE971	74086	18.90

WORKSHOP POWER BOX

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- Cord Length: 6'
- Amps: 15 Amps
- Wattage: 1875 W
- Voltage: 125 V
- Rated Joules: 1050 J
- Outlets: Total of 8 – 5 standard, 3 wide space
- Housing Material: Metal
- Colour: Black/Yellow



aurora tools

Model No.	Promo Price
XH162	19.95

AFL100 LED FLASHLIGHTS

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- High visibility yellow colour for easy visibility
- Batteries not included




XC977

aurora tools

Model No.	Batteries	Lumens	Promo Price
XC977	2 AA-cells	28	2.69
XC978	2 D-cells	35	3.99

PERFORMANCE PLUS WIRE CONNECTORS

3M



Model No.	MFG No.	Colour	Qty /Jug	Promo Price
XH310	T/R-JUG	Red/Tan	750	53.99
XH311	R/Y-JUG	Red/Yellow	500	54.75

ELECTRICAL TAPE

- Electrical tape for splicing and insulating wires
- For use between -7°C and 80°C
- CSA approved
- Width: 19 mm (3/4")
- Length: 18 M (60')
- Thickness: 7 mils
- Vinyl Plastic

XH383



aurora tools

Model No.	Material	Promo Price
XE890	Black	0.88
XH383	Red	0.88
XH384	Green	0.88
XH385	Blue	0.88
XH386	White	0.88
XH387	Yellow	0.88


PVC GROUNDING PLUG & CONNECTOR

- Moisture and chemical resistant plastic body
- Ideal for indoor and outdoor use
- Amperage: 15 A, Voltage: 125 V
- Cord Diameter: 0.245" - 0.655"
- Wire Gauge: 16/3 to 14/3 cords
- Colour: Yellow

aurora tools

XE672

XE673



Model No.	Description	Nema Configuration	Promo Price
XE672	Plug	5-15P	1.99
XE673	Connector	5-15R	3.89

SCOTCHCODE™ PRE-PRINTED WIRE MARKER BOOKS

- Ideal for marking electrical wires and terminal strips
- Easy-to-use
- Includes one pad of Post-It® Notes
- Adhesive Material: Natural Rubber
- Colour: White



XH304



3M

Model No.	MFG No.	Printed Text Type	Promo Price
XH304	SPB-11	1 to 30	23.50
XH305	SPB-03	1 to 45	23.50
XH306	SPB-01	0 to 9	23.50



ND337



ND202



PE095

HEAVY-DUTY OUTDOOR STORAGE CONTAINERS

- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift channels and recessed hand holes

Model No.	L"	Dimensions x W" x H"	Colour	Promo Price
5.5 CU.FT. CAPACITY				
ND337	30	x 24 x 24	Yellow	159.00
ND202	30	x 24 x 24	Grey	159.00
10 CU.FT. CAPACITY				
NM947	48	x 24 x 24	Yellow	229.00
NM948	48	x 24 x 24	Grey	229.00
PE095	1-Gallon Polyethylene Scoop		Yellow	18.95
PE096	1-Gallon Polyethylene Scoop		White	18.95



Comes w/rain cover & screen

BROADCAST SPREADER

- Steel tube frame construction with chrome-plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Coverage: 16000 sq.ft.
- Capacity: 100 lbs.

aurora tools®

Model No.	Promo Price
NJ142	159.00

NATURAL CHOICE™ ICE MELTER

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter
- Container Size: 44 lbs. (20 kg)
- Melting Point: -24°C (-11°F)



Model No.	MFG No.	Promo Price
NJ140	N0051B	26.95



PORTABLE SALAMANDER HEATER

- 240 V, 34 121 BTU/h, 10080 W
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Power Source: Electric
- Fan Motor Type: Enclosed air over, ball bearing
- Over heat protection
- One heat setting, fan forced



Model No.	Promo Price
EA786	999.00

HEAVY-DUTY CEILING MOUNT HEATERS

- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing
- Voltage: 240 V



EA532



Model No.	Motor	Rating (BTU/h) Min. Max.	Promo Price
EA532	Open	8530 17060	199.00
EA652	Enclosed	8530 25600	299.00

PORTABLE CERAMIC HEATER

- 120 V, 2600/5200 BTU/h
- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Convenient carry handle
- Stable metal base with tilt angle
- Tip-over and overheat protection
- Power Source: Electric
- Power Cord Length: 6'



Model No.	Promo Price
EA785	58.95

Pricing in effect until December 27, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219102NA