SHOP ESSENTIALS PROMOTION!

WELDERS' DOORAGS

- Athletic mesh lining to allow sweat to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame-retardant until washed
- Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles
- One size fits all
- **12 per package**



NT837

Camo Wild Happy Hour Paradise



Model No.	Colour	Promo Price
NT835	Camo, Wild, Happy Hour	**57.10/Pkg.**
NT836	Happy Hour, Paradise, Wild	**57.10/Pkg.**
NT837	Authentic Woodland Camo	**57.10/Pkg.**

SPEEDGLAS™ 9002NC ADF WELDING HELMET



- Precision optics, which provide a view that appears lighter, brighter and more realistic, giving you better control of the weld puddle
- Lighter weight, better for longer wearing, just 17 oz.
- Slim fit, better for tight spots
- ADF Shade Range: Variable 8-12
- ADF Viewing Area: 2.13" H x 4.09" W
- Battery Life: 2000 hours
- Battery Type: ADF: CR2032
- Colour: Black/Silver

Model No.	MFG No.	Description	Promo Price
SGF164	04-0100-20NC-CA	Helmet & Filter	**328.00**
SGF165	04-0000-21NC-CA	Filter Only	**249.00**

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FAN

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- HP: 3/10
- Motor: 120 V/60 Hz, 3-speed
- CFM High: 7770
- CFM Low: 4200
- Weight: 25.09 lbs.
- Watts: 215 W
- Diameter: 24"



Model No.	Promo Price
EA778	**159.00**

OSCILLATING LIGHT INDUSTRIAL AIR CIRCULATING FANS

EA282



EA284



- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty base for added stability
- 6' SJT power cord

Model No.	Description	HP	CFM High	CFM Low	Promo Price
EA282	26" Pedestal	1/4	7525	4050	**269.00**
EA284	26" Wall Mount	1/4	7525	4050	**209.00**

Pricing in effect until September 27, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219072NA

SAMPLE

CHILL-ITS® COOLING BANDANAS & TRIANGLE HATS

SAP942



SEB137



- Non-toxic, super-absorbent acrylic polymers expand and absorb just enough water to provide a cooling sensation for up to four hours
- Soak in cold water 2-5 minutes to activate
- Reusable, just re-soak

Model No.	MFG No.	Colour	Promo Price
6700 BANDANAS			
SEB128	12306	Navy Western	**2.60**
SEB134	12304	Camouflage	**2.60**
SEB137	12307	Blue	**2.60**
SEB139	12341	Flames	**2.60**
6710 TRIANGLE HATS			
SAP941	12325	Red Western	**5.49**
SAP942	12326	Navy Western	**5.49**
SEC860	12327	Blue	**5.49**

CHILL-ITS® 6602 COOLING TOWELS

SEI753



- A hyper-evaporative poly vinyl acetal (PVA) material that retains water while remaining dry to the touch to provide sweet cooling relief
- Activates quickly and easily when run under water for one minute
- Wear for hours, or wipe off for quick relief
- Lightweight and low profile for use with hard hats and helmets
- Reusable, just re-soak
- Machine washable

Model No.	MFG No.	Colour	Promo Price
SEB126	12420	Blue	**9.25**
SEI753	12439	Lime	**9.25**
SEI754	12441	Orange	**9.25**
SEI755	12442	Pink	**9.25**
SEI756	12438	Grey	**9.25**

CHILL-ITS® 6615 COOLING DEW RAGS

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth band
- Elasticized back for a great fit
- Machine washable

SEC678



Model No.	MFG No.	Colour	Promo Price
SEC675	12481	Solid Blue	**8.40**
SEC676	12478	Camouflage	**8.40**
SEC678	12485	Flames	**8.40**
SEC680	12480	Navy Western	**8.40**

CHILL-ITS® 6665 COOLING VESTS

- V-neck with zipper closure
- Water-repellent liner
- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to 4 hours
- Reusable, just re-soak
- Lime yellow



Model No.	MFG No.	Size	Promo Price
SAP936	12533	Medium	**54.99**
SAP937	12534	Large	**54.99**
SAP938	12535	X-Large	**54.99**
SAP939	12536	2X-Large	**54.99**

CHILL-ITS® 6710CT COOLING TRIANGLE HATS

SEC685



- Advanced PVA material keeps you cool without the bulk
- Activates quickly and easily when run under water for 1 minute
- Evaporative cooling process keeps you cool all day
- Lightweight and low profile for use with hard hats and helmets
- Reusable, just re-soak

Model No.	MFG No.	Colour	Promo Price
SEC685	12586	Lime	**10.95**
SEC686	12587	Blue	**10.95**
SEI649	12582	Green Camo	**10.95**
SEI650	12583	Red Western	**10.95**
SEI651	12584	Blue Western	**10.95**
SEI652	12588	Flames	**10.95**

6215/6215HV PHASE CHANGE COOLING VESTS

SDN605



- Maintains constant 58°F / 14°C
- Cooling lifecycle lasts up to four hours
- Comfortable cotton construction with hook & loop closure
- Extended vest surface area to enhance cooling power
- Includes 2 removable cooling packs that are placed in vest pockets
- APTV Rating: 7.1 cal/cm^2, CAT1

Model No.	MFG No.	Size	Promo Price
KHAKI			
SDN603	12200	Small/Medium	**369.00**
SDN604	12210	Large/X-Large	**369.00**
ORANGE W/REFLECTIVE ACCENTS			
SDN605	12220	Small/Medium	**369.00**
SDN606	12221	Large/X-Large	**369.00**

SAMPLE

HEADGEAR PADS & SWEATBANDS

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- **2 per package**



620-3200V



SAM548

Model No.	Description	Promo Price
620-3200V	Suspender Pads for Use with Hard Hats	**3.25/Pkg.**
620-3100V	Non-Suspender Pads for Use with Welding Helmets	**3.25/Pkg.**
SAM548	Sweatbands	**3.25/Pkg.**

WELDERS' CAPS

NT843



- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame retardant until washed
- Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles include: Happy Hour, Paradise, Camo and Wild
- **12 per package**

Happy Hour | Paradise | Camo | Wild



Model No.	Size"	Promo Price
ASSORTED		
NT838	7-1/8	**45.19/Pkg.**
NT839	7-1/4	**45.19/Pkg.**
NT840	7-3/8	**45.19/Pkg.**
NT841	7-1/2	**45.19/Pkg.**
NT842	7-5/8	**45.19/Pkg.**
CAMO		
NT843	7-1/8	**46.79/Pkg.**
NT844	7-1/4	**46.79/Pkg.**
NT845	7-3/8	**46.79/Pkg.**
NT846	7-1/2	**46.79/Pkg.**
NT847	7-5/8	**46.79/Pkg.**

WELDING CUP GOGGLES

- Rigid 2" (50 mm) round lens cup goggles
- Complete with shade 5 lens



Model No.	Promo Price
NT648	**4.65**

LAVA BROWN LEATHER ACCESSORIES

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps



TTU396



TTU393



TTU404



TTU407

TTU411

Model No.	Size	Promo Price
BIB APRONS		
TTU393	36" L	**43.09**
TTU394	42" L	**47.59**
TTU395	48" L	**55.79**
SPLIT LEG APRONS		
TTU396	42" L	**55.99**
TTU397	48" L	**64.19**
CHAPS		
TTU404	-	**58.19**
CAPE SLEEVES		
TTU407	Small	**72.99**
TTU405	Medium	**72.99**
TTU406	Large	**72.99**
TTU408	X-Large	**72.99**
TTU409	2X-Large	**80.09**
TTU410	3X-Large	**87.39**
BIBS		
TTU411	14" L	**14.49**
TTU412	20" L	**19.79**

SAMPLE

HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Fully enclosed motor

EA666





EA667

Model No.	Description	CFM High	CFM Med	CFM Low	Promo Price
EA666	Pedestal	13200	7321	4758	**475.00**
EA667	Wall mount	13400	7805	5070	**395.00**

OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- CFM: 7200/5470/3780
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model No.	Promo Price
EA779	**369.00**

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- CFM: 10760/7770/7040
- 9.8' SJT power cord



Model No.	Promo Price
EA476	**279.00**

MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- HP: 1/7
- Base Diameter: 27"
- CFM 7200/5470/3780
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3




Model No.	Promo Price
EA829	**425.00**

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2

EA645





EA646

Model No.	Description	HP	CFM High	CFM Low	Promo Price
OSCILLATING					
EA643*	24" Pedestal	1/4	11800	7760	**359.00**
EA647*	30" Pedestal	1/3	13200	6700	**395.00**
EA645	24" Wall Mount	1/3	11500	7680	**289.00**
EA649	30" Wall Mount	1/4	10780	7760	**319.00**
NON-OSCILLATING					
EA642*	24" Pedestal	1/4	11800	7760	**310.00**
EA646*	30" Pedestal	1/4	10780	7440	**335.00**
EA644	24" Wall Mount	1/4	11500	7680	**250.00**
EA648	30" Wall Mount	1/4	10780	7440	**275.00**

* Features adjustable height and a heavy-duty round base for added stability

SAMPLE

OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble



EA551

Model No.	Diameter"	Promo Price
EA658	16	**29.95**
EA551	18	**46.95**

OSCILLATING DESK FANS

- 3-speed push button control
- Rotating or fixed air direction
- Topple resistant base
- Portable and easy to assemble



EA306

Model No.	Diameter"	Promo Price
EA305	12	**31.50**
EA306	16	**39.95**

HIGH VELOCITY FLOOR FAN

- HP: 1/5
- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3



Model No.	Promo Price
EA661	**115.00**

FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
- 3-prong plug with ground industrial wire
- Rotates up for vertical airflow
- Chrome finish

EA290



Model No.	Diameter"	CFM High	CFM Med	CFM Low	Promo Price
EA528	16	2370	1950	1560	**85.00**
EA290	18	4725	3850	2975	**95.00**

20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height
- 6' SJT type power cord
- CFM: 5950/4550/3850



Model No.	Promo Price
EA289	**175.00**

LIGHT INDUSTRIAL DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord

EA286



Model No.	Dia."	HP	CFM High	CFM Low	Wt. lbs.	Promo Price
EA286	28	2/5	8050	6650	22	**345.00**
EA288	36	3/5	11 200	9100	30.5	**399.00**

SAMPLE

ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision-machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Black nickel finish resists rust
- Meets ANSI standards


TJZ104


TJZ100

aurora tools

Model No.	Jaw Type	Max. Jaw Width"	Length"	Promo Price
CUSHIONED HANDLE				
TJZ100	Standard	1	6	**8.95**
TJZ101	Reversible	1-1/4	8	**12.95**
TJZ102	Reversible	1-3/8	10	**15.95**
TJZ103	Reversible	1-5/8	12	**21.95**
PLAIN HANDLE				
TJZ104	Standard	1-3/4	15	**41.95**
TJZ105	Standard	2-1/4	18	**74.99**

1/2" HEAVY-DUTY AIR IMPACT WRENCH

- Pin-clutch hammer mechanism
- 7000 RPM
- 5/8" bolt capacity
- 320 ft-lbs. max. torque
- 3/8" hose size



aurora tools

Model No.	Promo Price
THZ673	**128.99**

HEAVY-DUTY BENCH VISE

- Fixed base
- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slipping



aurora tools

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TYL096	8	8-1/2	4	**295.00**

PUNCH & CHISEL SET

- Punch and chisel sets are an excellent way to keep your tools organized
- These sets are packed in heavy-duty vinyl rolls for easy access, organization and storage



aurora tools

Model No.	No. of Pieces	Promo Price
TLZ434	14	**74.25**



aurora tools

210-PC. 1/4", 3/8" & 1/2" DRIVE S.A.E./METRIC SOCKET & WRENCH SET

- Laser-marked socket size on each socket for easy identification
- **Includes:** 76 standard sockets, 56 deep sockets, 42 shank bits and 36 accessories

Model No.	Promo Price
TLV362	**299.95**

MODULAR FILTERS, REGULATORS & LUBRICATORS

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Polycarbonate bowl w/steel bowl guard
- Operating Pressure: 7-145 PSI


TYY181

aurora tools

Model No.	Connection Size	Max. Air Flow	Bowl Capacity	Filter Bowl Capacity	Lubricator Bowl Capacity	Promo Price
TYY181	1/4" NPT	18 SCFM @ 105 PSI	0.68 fl. oz.	0.30 oz.	0.68 oz.	**99.95**
TYY182	3/8" NPT	71 SCFM @ 105 PSI	1.93 fl. oz.	1.08 oz.	1.93 oz.	**134.95**
TYY183	1/2" NPT	123 SCFM @ 105 PSI	5.17 fl. oz.	1.50 oz.	5.17 oz.	**193.95**

SAMPLE

MICROMETER TORQUE WRENCH

- Pliable, elastomer handle grip for superior comfort and oil resistance
- Accurate in clockwise direction +/- 3% in upper 80% of the range
- Micrometer twist lock ring provides secure locking mechanism
- Sealed tear-drop head provides access and strength and keeps out contaminants


GEARWRENCH



Model No.	MFG No.	Drive Size"	Torque Range	Promo Price
TLV414	85066	1/2	30 - 250 ft-lbs.	**169.00**

ROLLING HEAD PRY BAR SET

- Forged from premium alloy steel
- Corrosion resistant nickel plate finish
- Heat-treated for maximum durability
- Limited lifetime warranty
- **Includes:** 11", 15-1/4" & 20" Pry Bars and plastic tray
- No. of Pieces: 3
- Overall tray dimensions: 23-11/16" L x 6-3/32" W x 1-1/2" H



GRAY TOOLS

Model No.	MFG No.	Promo Price
TYP508	73923	**120.95**

MEGAPRO® 15-IN-1 ORIGINAL BIT LOADERS

- Pullout bit cartridge makes it easy to find, change and store bits
- Loaded with 7 double end professional quality bits: Phillips #0, #1, #2, #3; Square #0, #1, #2, #3; Star #10, #15, #20, #25; Slotted #4, #6
- Shaft opening serves as a 1/4" hex nut driver
- Handle is made from engineered nylon/ABS resin
- Alloy steel shaft



MEGAPRO®
Every bit better.

Model No.	MFG No.	Promo Price
TNB478	151NAS	**28.95**

P1000 SERIES MEASURING TAPE

- Hi-Viz® orange case - easy to find on the job
- Rubber cushion case exterior protects tape from impact and improves grip
- Fits easily into most tape holsters
- Bright yellow blade has clear easy-to-read numerals
- Blade Width: 3/4"



TLV596

CRESCENT Lufkin

Model No.	MFG No.	Blade Length	Graduations	Promo Price
TLV605	PHV1316N	16'	in./ft.	**16.99**
TLV604	PHV1035CMEN	16'/5 m	in./cm	**16.99**
TLV596	PHV1312N	12'	in./ft.	**14.99**
TLV594	PHV1034CMEN	12'/4 m	in./cm	**14.99**

BAR CLAMPS FOR WELDING & FABRICATING

- Swivel pressure pad
- Rail and fixed top jaw are heat treated and tempered
- High quality construction insures long life
- Clamping Force: 2660 lbs.
- Pad: Heavy-Duty
- Throat Depth: 5.5"



TD320

BESSEY

Model No.	MFG No.	Clamping Capacity	Promo Price
TN211	SQ-8	8" (203.2 mm)	**115.95**
TD320	SQ-12	12" (304.8 mm)	**139.95**
TKZ893	SQ-16	16" (406.4 mm)	**166.95**
TD321	SQ-20	20" (508 mm)	**181.95**
TKZ894	SQ-24	24" (609.6 mm)	**205.95**

REGULAR-DUTY I-BAR CLAMPS NO. 640

- A rapid acting powerful clamp designed and constructed for hard, everyday production work
- Patented, quick action, no slip clutches are 3/4" apart and formed in the web for greater bar strength
- High strength ductile slide cannot slip or bind, easily released
- Steel handle, with comfortable wood crank handle for fast clamping
- Bar dimensions: 7/16" x 1-1/2" x 5/32"
- Screw diameter: 5/8"
- Throat depth is 1-13/16" and clamp face is 1-7/8"
- Clamping Force: 6000 lbs.

WILTON



Model No.	MFG No.	Clamping Capacity"	Promo Price
TD798	21801	24	**75.99**
TD801	21804	48	**105.99**
TD803	21806	72	**134.99**

SAMPLE

WELDER'S BOX & SMALL CHEST

- Compact and portable
- Heavily reinforced 16-gauge steel construction with staked and welded steel hinges
- Overall Dimensions: 30" W x 16" D x 12" H
- Capacity: 3.3 Cubic Feet
- **TEP348** is a welder's box that offers a notched upper side for storing tools connected to supply hoses



TEP348

Model No.	MFG No.	Description	Promo Price
TEP348	650990	Welder's Box	**219.00**
TEP349	659990	Chest w/Hasp Lock	**259.00**

JOBSITE SHELF CABINETS

- Site-Vault™ security system
- Ez-Loader® anti-tip skid bolsters
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot-operated latch release system
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door
- 60-1/8" L x 24-1/4" W x 60-3/4" H
- Usable cu. ft.: 47.5

TEP168 Tools sold separately




TEP170

Model No.	MFG No.	Description	Promo Price
TEP168	1-694990	2 Doors, 24" Deep	**1859.00**
TEP170	1-697990	2 Doors, Tall Closet on Right Side	**2099.00**

HEAVY-DUTY JOBSITE CHESTS

- Site-Vault™ security system
- Ez-Loader® 7-gauge skid bolsters allow fork lift from any side
- Grip-Rite™ recessed lifting channel
- Heavily reinforced lid and body
- Textured powder paint finish



TEP092

Model No.	MFG No.	Dim. W" x D" x H"	Usable Cu. Ft.	Promo Price
TEP092	1-652990	36 x 20 x 23-3/4	8.3	**535.00**
TEP136	1-653990	42 x 20 x 23-3/4	9.3	**585.00**
TEP137	1-654990	48 x 24 x 27-3/4	15.4	**679.00**
TEP156	1-655990D	60 x 24 x 27-3/4	19.3	**855.00**
TEP157	1-656990	48 x 30 x 33-3/8	24.3	**865.00**
TEP158	1-658990	72 x 24 x 27-3/4	23.2	**955.00**

HEAVY-DUTY TOOL BOXES

- ABS plastic latches
- 1 removable inner tray
- Polypropylene fabrication
- Deep storage compartments
- Padlock eye for safe storage
- Black


TLZ117 TLV084 TLV086

Model No.	O.A. Dimensions W" x D" x H"	Features	Promo Price
TLV082	15 x 7 x 5-1/2	-	**14.99**
TLV083	17-1/2 x 9-1/2 x 8	-	**22.99**
TLV084	17-1/2 x 9-1/2 x 8	2 Parts Boxes, 1 Organizer	**26.99**
TLV085	22 x 11 x 10-1/2	3 Organizers	**32.99**
TLV086	22 x 11 x 14-1/2	3 Organizers, 2 Drawers	**53.99**
TLZ117	5-1/2 x 5-1/2 x 1-1/2	Parts Box	**3.49**

TOOL CARRIERS

- Material: Polyester


TEP217 TEP215 TJZ969

Tools sold separately

Model No.	MFG No.	Description	No. of Pockets	Promo Price
TEP215	SW-1111	All-Purpose Gear Bags	4	**39.90**
TJZ969	SW-1578	Open Top 14" Soft Side	21	**67.90**
TEP217	SW-1579	Open Top 20" Soft Side	27	**86.50**

TOOL POUCHES


WI957 TBN197 TJZ972 TSW497

Tools sold separately

Model No.	MFG No.	No. of Pockets	Material	Promo Price
MULTI-PURPOSE TOOL HOLDER				
WI957	PH-47	4	Nylon	**12.90**
UTILITY POUCH				
TBN197	PH-40	2	Leather	**10.50**
MULTI-POCKET TOOL & PHONE HOLDER				
TJZ972	PL-99	4	Polyester	**15.50**
TOOL POUCH				
TSW497	PH-38	1	Leather	**12.50**

SAMPLE

READY TO ASSEMBLE STEEL LOCKERS

- Ships knocked down, ready to assemble with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Durable powder-coated grey paint finish
- Number plates available separately
- Single tier dim.: 12" W x 18" D x 72" H
- Double tier door height: 33-1/4"



RECESSED BASE

- Prevents liquids from entering the locker
- Raises locker 4" off the ground



SLOPE TOP

- Helps eliminate dust build up
- Raises top by 10"

KLETON



Single Tier



Double Tier

SINGLE TIER

Model No.	Bank of	Wt. lbs.	Promo Price
BASIC STYLE			
FL362	1	52	**166.00**
FL363	2	96	**289.00**
FL364	3	139	**438.00**
W/SLOPE TOP			
FL380	1	56	**177.00**
FL381	2	104	**323.00**
FL382	3	151	**484.00**
W/RECESSED BASE			
FL392	1	56	**181.00**
FL393	2	104	**323.00**
FL394	3	151	**484.00**
W/SLOPE TOP & RECESSED BASE			
FL404	1	60	**199.00**
FL405	2	112	**353.00**
FL406	3	163	**527.00**

DOUBLE TIER

Model No.	Bank of	Wt. lbs.	Promo Price
BASIC STYLE			
FL366	1	54	**192.00**
FL367	2	98	**335.00**
FL368	3	141	**501.00**
W/SLOPE TOP			
FL384	1	57	**208.00**
FL385	2	106	**361.00**
FL386	3	153	**547.00**
W/RECESSED BASE			
FL396	1	57	**208.00**
FL397	2	106	**353.00**
FL398	3	153	**531.00**
W/SLOPE TOP & RECESSED BASE			
FL408	1	61	**219.00**
FL409	2	114	**384.00**
FL410	3	165	**566.00**

DEEP DOOR COMBINATION CABINETS

CB446



- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Powder coated Kleton grey finish
- Dimensions: 38" W x 24" D x 72" H
- No. of Shelves: 4
- Material: Steel

KLETON

Model No.	Colour	Promo Price
CABINETS ONLY		
CB442	Grey	**1438.00**
CABINET & BIN COMBINATIONS		
CB446*	Blue	**1589.00**
CB477*	Red	**1589.00**
CB448*	Yellow	**1589.00**
CB693*	Green	**1589.00**

* 84 bins supplied (4-1/8" W x 5-3/8" D x 3" H)

HEAVY-DUTY BOLTLESS SHELVING



- Modular design allows the unit to be set up as a shelving unit or as work bench
- Includes five Medium-Density Fiberboard (MDF) shelves
- Shelves snap into place quickly and easily
- Kit Type: Starter
- Shelf Capacity: 1200 lbs.
- Material: Steel
- Height: 72"
- Style: Open

KLETON

Model No.	Width"	Depth"	Promo Price
RN455	36	18	**128.00**
RN456	36	24	**146.00**
RN457	48	18	**150.00**
RN458	48	24	**169.00**

EXTRA-WIDE STORAGE CABINETS

- All-welded
- 22-gauge shelves
- 48" W x 24" D x 72" H
- Shelf capacity: 175 lbs. evenly distributed
- **Includes:** Four fully adjustable shelves, recessed handle and cylinder lock

FJ860



ALB PLUS

Model No.	MFG No.	Colour	Promo Price
FJ860	4-244872-CAB-33	Charcoal	**835.00**
FJ869	4-244872-CAB-22	Beige	**835.00**

SAMPLE

TOTE-A-TORCH OUTFIT

- Light-to-medium duty portable outfit
- Welds up to 3/16" and cuts up to 1/2"
- Rear entry regulators for better balance
- Acetylene regulator has an "MC" (CGA 200) inlet connection; oxygen regulator has standard CGA 540 connection
- **Includes:**
  Torch handle (142T),
  cutting attachment (142C),
  regulators (210X-80/ 210Y-15),
  cutting tip (172C-0),
  welding nozzle (172W-1),
  12.5' twin hoses,
  goggles,
  striker,
  plastic carrier,
  one "MC" acetylene cylinder,
  one "R" oxygen cylinder
- Style: Victor® Equivalent



Model No.	MFG No.	Promo Price
331-1070	12-PTC	**765.00**

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT



- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- **Includes:** 10' neoprene hose, striker and on/off valve

Model No.	MFG No.	Promo Price
312-4904	WB-101	**110.00**

AIR-ACETYLENE FEATHER FLAME® TORCH KITS

330-1663




- Screw-in style
- Feather brush flame
- Interchangeable screw-in tips
- Heavy-duty torch
- UL listed brass regulator
- **Includes:** 12' hose, Handle, Lighter, Wrench
- Tip No.: BA-3

Model No.	MFG No.	Reg. FTG	Promo Price
330-1663	KA-1H	"B" Cylinder	**210.00**
330-1669	KA-2H	"MC" Cylinder	**210.00**

VICTOR® 1-101 STYLE CUTTING TIPS

- For general cutting
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST and 1400C machine torches
- Gas Type: Acetylene-Oxygen





Model No.	Size	Promo Price
TTU441	000	**9.95**
TTU333	00	**9.95**
TTU334	0	**9.95**
TTU335	1	**9.95**
TTU336	2	**9.95**
TTU337	3	**9.95**
TTU338	4	**9.95**
TTU339	5	**9.95**
TTU442	6	**9.95**

VICTOR® 3-101 STYLE CUTTING TIPS

- For general hand cutting
- Medium preheat
- Fits CA 1260, CA 1350, C 1450, CA 2060, CST 800 and C 1400 torches
- Gas Type: Acetylene-Oxygen





Model No.	Size	Promo Price
TTU340	0	**9.25**
TTU341	1	**9.25**
TTU342	2	**9.25**
TTU343	3	**9.25**
TTU450	4	**9.25**

PIPELINER® CLASSIC WELDING & CUTTING OUTFIT WITH TOOL BAG

- Cuts to 6" and welds to 1" with larger tips
- **Includes:**
  Torch handle (43-2),
  Mixer (E-43),
  Cutting attachment (73-3),
  Cutting tip (6290-1AC),
  Welding tip (23A90-5),
  Single stage 0-125 PSIG oxygen regulator,
  Single stage 0-15 PSIG fuel gas regulator,
  20' x 1/4" hose,
  Goggles,
  Striker
- Style: Harris



Model No.	MFG No.	Promo Price
TTU520	4403235	**839.00**

SAMPLE

INDUSTRIAL-DUTY SCRATCH BRUSHES



- Wood handle
- Choice of carbon or stainless steel bristles

Model No.	Bristles	Rows	Promo Price
LONG HANDLE BRUSHES			
NT607	Carbon Steel	3 x 19	**2.40**
NT608	Carbon Steel	4 x 19	**2.89**
NT611	Stainless Steel	3 x 19	**3.58**
NT612	Stainless Steel	4 x 19	**4.28**
SHOE HANDLE BRUSHES			
NT609	Carbon Steel	3 x 16	**2.36**
NT610	Carbon Steel	4 x 16	**2.44**
NT613	Stainless Steel	3 x 16	**4.36**
NT614	Stainless Steel	4 x 16	**4.60**
TOOTHBRUSH CLEANING BRUSH			
NT615	Stainless Steel	3 x 7	**1.10**

SHORTSTUB™ ELECTRODE HOLDERS

- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact
- Electrode Capacity: 3/32" (2 mm) - 3/16" (5 mm)



Model No.	Description	Amps	Promo Price
NT629	ShortstubTM w/Neck Ring	400	**15.88**
NT631	ShortstubTM w/Neck Ring	600	**18.40**
NT630	Slimline - Bernard® Style	400	**15.88**

CAM ACTION CABLE CONNECTORS

- Manufactured from heavy wall precision-machined brass alloy
- Fit cable sizes 4 through 4/0
- Brass body assembly slides into heavy-duty neoprene insulator with no external screws
- Compatible with most common brands



Model No.	Description	Promo Price
NT650	Female Half w/Insulator	**7.29**
NT649	Male Half w/Insulator	**8.35**
NT664	Male/Female Connector Set	**15.43**

CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6-1/4"



Model No.	Promo Price
NP532	**4.75**

GROUND CLAMPS



- Standard Duty
- Manufactured from nickel-plated steel with forged brass conductors

Model No.	Amps	Promo Price
NT661	300	**4.80**
NT662	500	**8.71**

TOUGHFLEX™ WELDING CABLE

- Durable and flexible welding cable
- Highly flexible annealed 30 (0.010) gauge bare copper conductor, insulated with an EPDM jacket and paper separator
- Durable jacket resists cuts, tears, abrasion, grease, oil, water and flame
- Operating temperature range: -50°C to 105°C (-58°F to 221°F)
- Rated to 600 V
- Type: Boxed



KALAS

Model No.	MFG No.	Gauge	Length'	O.D."	Promo Price
TTV134	06T1050B0000	#6	50	0.320	**56.50**
TTV135	04T1050B0000	#4	50	0.348	**75.30**
TTV136	02T1050B0000	#2	50	0.420	**120.00**
TTV137	01T1050B0000	#1	50	0.503	**150.00**
TTV138	10T1050B0000	1/0	50	0.533	**185.00**
TTV139	20T1050B0000	2/0	50	0.586	**230.00**
TTV140	30T1050B0000	3/0	50	0.625	**285.00**
TTV141	40T1050B0000	4/0	50	0.720	**367.00**
TTV142	06T1100B0000	#6	100	0.320	**110.00**
TTV143	04T1100B0000	#4	100	0.348	**148.00**
TTV144	02T1100B0000	#2	100	0.420	**237.00**
TTV145	01T1100B0000	#1	100	0.503	**299.00**
TTV146	10T1100B0000	1/0	100	0.533	**375.00**
TTV147	20T1100X0000	2/0	100	0.586	**460.00**
TTV148	30T1100B0000	3/0	100	0.625	**570.00**
TTV149	40T1100B0000	4/0	100	0.720	**735.00**

SAMPLE

ELECTRONIC DIGITAL CALIPERS

- Large LCD display
- Hardened stainless steel head and body
- Precision adjustments for accurate measurements
- Lock screw to hold slide in position
- Inch/millimeter conversion
- Includes two batteries



TGZ370

aurora tools

Model No.	Measurement Range"	Jaw Depth Outside"	Jaw Depth Inside"	Promo Price
TGZ370	0 - 6	1-9/16	13/16	**53.95**
TJZ861	0 - 8	1-13/16	1	**63.95**
THZ769	0 - 12	2-3/8	1	**114.95**

COATING THICKNESS GAUGE

- Dual technology provides automatic recognition for ferrous (F) and non-ferrous (NF) metal substrates
- Magnetic induction for ferrous metal substrates
- Eddy current measurement for non-ferrous metal substrates
- Memory stores 400 readings
- Measuring range: 0 to 1250 µm, 0 to 49.21 mils
- **Includes:** Two AAA batteries, USB cable, software, calibration iron, calibration aluminum, precision standards and carrying case
- Display Type: Digital




REED

Model No.	MFG No.	Promo Price
IA858	ST-156	**305.00**

MOBILE PLATFORM SCALE

- No lifting required, roll your dolly directly onto the ramp
- Mobile wheels and handle allow for effortless movement
- Rugged mild steel checkered platform
- Capacity: 660 lbs. / 300 kg
- Graduations: 0.2 lbs. / 0.1 kg
- Platform Dim.: 30" L x 30" W

Not Legal for Trade



KILOTECH www.kilotech.com

Model No.	MFG No.	Promo Price
IB778	851315	**695.00**

R2300 INFRARED THERMOMETER

- Built-in laser pointer identifies target area
- Digitally adjustable emissivity
- Max, min, average and differential readings
- Backlit display
- High and low alarms
- Temperature Range: -25.6°- 752° F (-32° - 400° C)
- Spot Size Ratio: 12:1
- Emissivity: Adjustable
- Accuracy: ±4°F (2°C) or ±2% rdg.



REED

Model No.	MFG No.	Promo Price
IB967	R2300	**53.95**

MINI DIGITAL CRANE SCALES

- Stainless steel load receptor
- Cast aluminum housing
- LCD screen viewable from 22'
- Tare, Hold, Unit (between kg and lb.), Zero
- Programmable auto-off, auto-zero, manual zero, backlight
- Removable hook for easy cleaning
- For use in a dry environment and areas of low humidity
- 1-year warranty



IA787

KILOTECH www.kilotech.com

Model No.	MFG No.	Working Load Limit	Graduations	Promo Price
IA785	854501	120 lbs./54.43 kg	0.05 lbs./0.02 kg	**169.00**
IA786	854502	300 lbs./136.07 kg	0.1 lbs./0.05 kg	**169.00**
IA787	854503	600 lbs./272.16 kg	0.2 lbs./0.1 kg	**169.00**

DIGITAL THERMOMETER

- Single Input Thermocouple Thermometer
- Temperature Range: -58 to 2000°F (-50 to 1300°C)
- User selectable °C or °F
- User selectable 0.1°C or 1°C (0.1°F or 1°F) resolution
- Accuracy to 0.5%
- Type: Contact
- Display Type: Digital
- **Includes:** 9 V battery and holster



HX381

REED

Model No.	MFG No.	Description	Promo Price
HX381	R2400	Digital Thermometer	**89.00**
HN213	R2960	Needle Tip Thermocouple Probe	**62.95**
IB879	R2930	Right-Angle Surface Probe	**79.95**
IB880	R2940	Air/Gas Thermocouple Probe	**72.95**
IB881	R2950	Immersion Thermocouple Probe	**67.95**

SAMPLE

SURGE SUPPRESSOR

- Lighted on/off switch with built-in circuit breaker
- Protects against damage caused by power spikes
- Ideal for multiple electronic devices
- No. of Outlets: 6
- Cord Length: 3'
- Rated Joules: 200
- Amps: 15 A
- Wattage: 1875 W
- Voltage: 125 V



aurora tools

Model No.	Promo Price
XE670	6.99

LED HEADLAMP



- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap
- Lamp Colour: Silver
- Batteries required: 3 AAA (not included)
- Lumens: 21

Hard hat not included

aurora tools

Model No.	Promo Price
XC658	14.99

LED HEADLAMP

- Run Time Hrs.: (Low): 20; (High): 6
- Lumens: (Low): 30; (High): 120
- 3 settings: High, Low and Strobe
- Adjustable in/out zoom
- Water resistant
- Colour: Black
- Beam Distance: 120 m
- 3 AAA batteries, not included



aurora tools

Model No.	Promo Price
XE887	19.99

AFL300 LED FLASHLIGHTS



- High strength aluminum casing
- Shatterproof lens
- **XE888**: Run Time Hrs. (High): 2
- **XE889**: Run Time Hrs. (High): 2; (Low): 3
- Batteries included: Three AAA **(XE888)**, Four AAA **(XE889)**
- Colour: Black

aurora tools

Model No.	LED	Lumens Low	Lumens High	Beam Distance (m)	Promo Price
XE888	28	-	98	35	10.79
XE889	45	31	157	45	14.79

OUTDOOR VINYL EXTENSION CORDS

- 3-conductor SJTW, 300-V grounding
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Single tap

XC484



aurora tools


Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-DUTY ORANGE					
XC482	25	14/3	15	1875	15.99
XC483	50	14/3	15	1875	29.99
XC484	100	14/3	13	1625	58.99
EXTRA HEAVY-DUTY YELLOW					
XC485	25	12/3	15	1875	23.99
XC486	50	12/3	15	1875	45.99
XC487	100	12/3	15	1875	89.99

LED WORK LIGHTS

XG816



- LED bulb included
- Certified for sale in Canada by an accredited certification body
- Housing Material: Aluminum



aurora tools

Model No.	Description	Lumens	Watts	Promo Price
XG816	Portable	2500	20	48.00
XG817	Twin-Head	4800	40	119.00

HALOGEN WORK LIGHTS

- Heat resistant tempered glass face
- Adjustable tilting head
- Halogen bulb included
- Certified for sale in Canada by an accredited certification body
- Wattage: 500 W
- IP54 rating for weather and dust resistance
- Housing Material: Steel

XC949



XC950



aurora tools

Model No.	Description	Lumens	Promo Price
XC949	Portable	8000	19.99
XC950	Twin-Head	16000	54.99

SAMPLE

POLYPROPYLENE STRAPPING


PF986


PF984

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

KLETON

Model No.	Grade	Strap Width"	Colour	Strength lbs.	Coil'	Promo Price
CORE SIZE: 8" x 8"						
PF987	Manual	1/2	Black	600	7200	**59.00**
PF984	Machine	1/2	White	300	9900	**63.45**
PF988	Manual	5/8	Black	700	6000	**69.65**
PF983	Machine	3/8	White	300	12 900	**71.65**
CORE SIZE: 16" x 6"						
PF986	Manual	1/2	Black	600	7200	**59.00**
PF985	Manual	1/2	Black	750	5600	**79.00**

POLYPROPYLENE STRAPPING SEALERS

- Heat-treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort
- Use on open steel seals



KLETON

Model No.	Strap Width"	Promo Price
PA555	1/2	**79.95**
PA556	5/8	**79.95**
PF459	3/4	**74.95**

POLYPROPYLENE & POLYESTER STRAPPING TENSIONER

- Ideal for applications on flat surfaces
- Accepts strapping 3/8" - 3/4" wide
- Superior design and performance
- Premium copper bushings
- Built-in strapping cutter
- For use with open seals or buckles
- Fits strapping thickness: 0.027"



KLETON

Model No.	Promo Price
PC939	**82.50**

POLYESTER STRAPPING



- Ideal for medium to heavy-duty palletizing
- Moisture-resistant, safe to handle and recyclable
- Grade: Machine
- Strap Width: 5/8"
- Strap Thickness: 0.035"
- Colour: Green
- Strength: 1400 lbs.
- Feet/Coil: 4000'
- Core Size: 16" x 6"
- Approved by the Association of American Railroads (AAR)

KLETON

Model No.	Promo Price
PF990	**104.00**

POLYESTER STRAPPING SEALER

- Heat-treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort
- Offset jaws are longer on one side for better grip
- Specially designed for use with serrated seals
- Fits strapping width: 5/8"



KLETON

Model No.	Promo Price
PF992	**97.50**

POLYESTER STRAPPING TENSIONER

- Tightens strapping quickly with little effort
- Built-in strapping cutter
- Ideal for applications on flat surface
- Compatible with polyester strapping
- Fits strapping thickness: 0.023" to 0.039"
- Fits strapping width: 3/8" to 3/4"



KLETON

Model No.	Promo Price
PF993	**110.00**

SAMPLE

1/2" POLYPROPYLENE STRAPPING KIT



- Easy to use, efficient system for packaging, bundling and palletizing
- **Contains:**

1 **PF985** 1/2" x 5600', 750-lb. strength polypropylene strapping
1 **PE555** dispenser
1 **PA555** 1/2" polypropylene sealer
1 **PC939** polypropylene and polyester tensioner
1 **PF408** 1/2" open seals, 2000/box

KLETON

Model No.	Promo Price
PD023	**559.00**

1/2" POLYESTER STRAPPING KIT



- **Contains:**
  - 1 **PB021** 1/2" x 3900', 600-lb strength strapping
  - 1 **PB753** dispenser
  - 1 **PA555** 1/2" polypropylene sealer
  - 1 **PC939** polypropylene and polyester tensioner
  - 1 **PA509** 1/2" open seals, 2000/box

Model No.	Promo Price
PD027	**794.00**

POLYPROPYLENE & POLYESTER STRAPPING DISPENSER

- Cart includes large storage tray for strapping accessories
- For use with 1/2" - 3/4" strapping
- Heavy-duty 8" rubber wheels for easy maneuverability
- Accommodates Roll Width: 8"
- Accommodates Core Inside Diameter: 8"



KLETON

Model No.	Promo Price
PF807	**198.00**

INDUSTRIAL SAFETY GUARD RAILS

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Colour: Safety Yellow
- Material: Steel
- Overall Width: 3"
- Overall Height: 12"

KI237







KI246

KLETON

RAILS

Model No.	Overall Length"	Nominal Length"	Promo Price
KI237	19	24	**56.70**
KI238	31	36	**75.30**
KI239	43	48	**83.30**
KI240	55	60	**102.00**
KI241	67	72	**110.00**
KI242	79	84	**120.70**
KI243	91	96	**128.70**
KI244	103	108	**140.00**
KI245	115	120	**145.30**

POSTS

Model No.	Description	Promo Price
KI246	Single, 17" H	**87.30**
KI247	Double, 44" H	**140.00**

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment and high traffic areas
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base
- Steel base has four 3/4" diameter holes for anchoring to floor (anchors not included)
- Safety yellow powder coat finish

KD125



KLETON

Model No.	Height"	Wt. lbs.	Promo Price
KD125	24	30	**115.00**
KH857	36	40	**149.00**
KD126	48	50	**159.00**

PRODUCTS CAN BE CUSTOMIZED TO MEET YOUR SPECIFIC NEEDS

SAMPLE

INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- Adheres to gravel, concrete, grass and soil
- Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- VOC compliant
- Container Size: 20 oz.
- Net Size: 17 oz.



NC325

KRYLON INDUSTRIAL

Model No.	MFG No.	Colour	Sample	Promo Price
WATER-BASED APWA COLOURS				
NC332	A03801004	Utility Yellow		**4.17**
NC331	A03901004	Brilliant White		**4.17**
WATER-BASED FLUORESCENT COLOURS				
NC334	A03601004	Safety Red		**4.17**
NC335	A03612004	Pink		**4.17**
NC336	A03620004	Caution Blue		**4.17**
NC337	A03630004	Safety Green		**4.17**
NC338	A03650004	Red/Orange		**4.17**
NC333	A03700004	Orange		**4.17**
SOLVENT-BASED APWA COLOURS				
NC328	A03611007	Red		**4.83**
NC326	A03621007	Blue		**4.83**
NC329	A03631007	Green		**4.83**
NC327	A03731007	Bright Orange		**4.83**
NC325	A03821007	High Visibility Yellow		**4.83**
NC324	A03900007	Utility White		**4.83**
SOLVENT-BASED FLUORESCENT COLOURS				
NC322	A03613007	Safety Red		**4.83**
NC323	A03614007	Neon Green		**4.83**
NE260	A03615007	Purple		**4.83**
NE262	A03622007	Hot Pink		**4.83**
NC320	AT3701007	Red/Orange		**4.83**
NC321	A03702007	Orange		**4.83**

Note: Colours may not be exactly as show



KP459

CONSTRUCTION MARKING PAINT

- Water-based
- Sprays at any angle: upright, horizontal, inverted
- Surface coverage: 400 linear feet at 1"
- Size Can (Net): 20 oz. (15 oz.)

RUST-OLEUM

Model No.	MFG No.	Colour	Swatch	Promo Price
KP459	264693	Clear		**4.55**
KP452	264692	White		**4.55**
KP453	264696	Safety Red		**4.55**
KP455	264694	Caution Blue		**4.55**
KP456	264695	High Visibility Yellow		**4.55**
KP457	264699	Fluorescent Red Orange		**4.55**
KP458	264700	Fluorescent Green		**4.55**
KP454	264702	Fluorescent Pink		**4.55**
KP460	264697	Fluorescent Orange		**4.55**

Note: Colours may not be exactly as show



NC309

NC310

MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1-1/2" width of paint

KRYLON INDUSTRIAL

Model No.	MFG No.	Description	Promo Price
NC309	K07095	12" Spotter Hand Held Short Wand	**31.99**
NC310	K07096	34" Hand Held Long Wand	**35.99**

LINE-UP® STRIPING PAINT

- **Water-based:** Non-burning formula, safe on all grass fields
- **Solvent-based:** For striping asphalt concrete, curbs or other smooth to hard surfaces
- Container Size: 20-oz.
- VOC compliant, free of lead hazards
- Net size: 18 oz.



NE335

KRYLON INDUSTRIAL

Model No.	MFG No.	Colour	Swatch	Promo Price
SOLVENT-BASED				
NE335	K08300007	Highway White		**8.35**
NE336	K08301007	Highway Yellow		**8.35**
NE337	K08302007	Handicap Blue		**8.35**
NE338	K08303	Firelane Red		**8.35**
NE339	K08304007	Cover Up Black		**8.35**
WATER-BASED				
NE333	K08305	Athletic White		**6.39**
NE334	K08306007	Athletic Yellow		**6.39**

Note: Colours may not be exactly as shown



NE341


NI441

LINE-UP® STRIPING MACHINES

- 18-gauge, all-steel construction
- Provides a smooth ride on hard surfaces
- 2" to 4" wide stripes
- 12-can storage

STRIPPING WAND

- For use on line touch up and stenciling

Model No.	MFG No.	Description	Wheels"	Promo Price
NE340	K08340	For Pavement	7	**199.99**
NE341	K08350	For Athletic Field	10	**199.99**
NI441	K08360000	34" Striping Wand	3	**47.30**

Pricing in effect until September 27, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219072NA

SAMPLE