SHOP ESSENTIALS PROMOTION!

SAMPLE

ZM500 MECHANIC GLOVES

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Terry towel thumb for wiping perspiration
- Hook and loop cuff permits an adjustable and secure fit



ZENITH® Safety Products

Model No.	Size	Promo Price
SDP433	Medium	24.69/Pair
SDP434	Large	24.69/Pair
SDP435	X-Large	24.69/Pair
SDP436	2X-Large	24.69/Pair

MECHANIC CREEPER

- Built-in, padded, adjustable headrest
- 360° swivel casters
- Built-in handle makes it easy to adjust the headrest to alleviate neck pain
- No. of Wheels: 6
- Weight Capacity: 265 lbs.
- Overall Length: 16-3/4"
- Overall Width: 40-1/4"
- Overall Height: 4-3/4"
- Material: Vinyl
- Colour: Black
- Caster Material: Steel



aurora tools®



Model No.	Promo Price
FLT527	85.90

HEAVY-DUTY OSCILLATING PEDESTAL FAN

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Open motor type



MATRIX® INDUSTRIAL PRODUCTS

Model No.	CFM High	CFM Med	CFM Low	Promo Price
EA666	13200	7321	4758	465.00

DEAD BLOW HAMMERS

- 1-piece urethane construction
- Completely enclosed steel shank
- Shot-filled head
- High-visibility orange colour

aurora tools®



TJZ035

Model No.	Head Wt. oz.	Promo Price
TJZ035	8	11.95
TJZ036	16	12.60
TJZ037	24	14.20
TJZ038	32	17.50

Pricing in effect until July 9, 2021 or while quantities last. Taxes and freight extra. Issue #SDW221042NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

OUTDOOR OSCILLATING WALL FAN

- 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- All-metal construction
- Chrome grill stand and base painted black
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof
- Drive System: Direct Drive



Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EB115	30	7200	5500	3800	**325.00**

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord



Model No.	High	CFM Med	CFM Low	Promo Price
EA476	10760	7770	7040	**245.00**

FLOOR FANS

EA290



- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
- 3-prong plug with ground industrial wire
- Rotates up for vertical airflow
- Chrome finish

Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EA528	16	2370	1950	1560	**89.95**
EA290	18	4725	3850	2975	**99.95**

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Non-oscillating
- No. of Speeds: 2
- HP: 1/4

EA644



Model No.	Description	CFM High	CFM Low	Promo Price
EA644	24" Wall Mount	11500	7680	**259.00**
EA648	30" Wall Mount	10780	7440	**289.00**

LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 120 V
- All-metal construction, chrome grill stand and base painted black
- Can be used in oscillating or non-oscillating mode
- Features adjustable height and heavy-duty round base for added stability
- 6' SJT power cord
- No. of Speeds: 3



EA282

Model No.	Description	HP	CFM High	CFM Med	CFM Low	Promo Price
EA282	26" Pedestal	1/4	7525	6060	4050	**275.00**
EA283	30" Pedestal	1/3	8778	7500	6780	**299.00**

LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Non-oscillating
- No. of Speeds: 2



EA655

Model No.	Description	HP	CFM High	CFM Low	Promo Price
EA655	26" Wall Mount	1/4	7700	6060	**190.00**
EA656	30" Wall Mount	1/3	8000	7000	**210.00**

SAMPLE

OSCILLATING TOWER FAN

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- No. of Speeds: 3
- Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 32"



Model No.	Dia."	Promo Price
EA827	6	**53.50**

HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
- No. of Speeds: 3
- Voltage: 120 V
- HP: 1/5



Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EA660	20	4800	4500	4000	**155.00**

TURBO FAN

- 3-speed
- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W



Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EB117	20	2600	2100	1800	**65.99**

OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- No. of Speeds: 3



Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EA779	30	7200	5470	3780	**369.00**

RECHARGEABLE INDOOR/OUTDOOR FAN

- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- Variable speed setting
- USB charging port on the control box can be used to recharge digital devices
- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor
- Voltage: 24 V
- Power: 25 W
- RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A



Model No.	Dia."	CFM High	Promo Price
EA828	12	1600	**165.00**

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FAN

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz
- HP: 3/10
- No. of Speeds: 3



Model No.	Dia."	CFM High	CFM Med	CFM Low	Promo Price
EA778	24	7770	6000	4500	**179.00**

SAMPLE

10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- **Included:**
  Slotted Screwdriver 7/32" x 5"
  Slotted Screwdriver 5/32" x 4"
  Slotted Screwdriver 3/32" x 3"
  Phillips® Screwdriver #1 x 3-1/8"
  Phillips® Screwdriver #2 x 4"
  Pozidriv® Screwdriver #1 x 3-1/8"
  Pozidriv® Screwdriver #2 x 4"
  Lineman Plier, 6"
  Long Nose Plier, 6"
  Side Cutting Pliers, 6"

aurora tools®



Model No.	Promo Price
TYP305	**88.00**

3-PIECE BASIC PLIER SET

- Precision milled jaws
- Black nickel finish resists rust
- Meets ANSI standards
- Set includes
  TJZ078: Slip joint, 6" L
  TJZ083: Diagonal cutting, 6" L
  TJZ086: Long nose cut, 6" L

aurora tools®

TJZ078



TJZ083



TJZ086



Model No.	Promo Price
TLZ795	**20.85**

CUT COMPOUND SNIPS

- Designed for all-purpose cutting applications, for home or professional jobsite
- Latch secures blades for storage
- Rubberized hand grip for quality comfort
- Cutting Capacity: 18-Gauge Steel
- Overall Length: 10-1/4"

UAE007



UAE006





aurora tools®

UAE008

Model No.	Cut Direction	Cut Length"	Colour	Promo Price
UAE006	Left	1-3/8	Red	**15.75**
UAE007	Right	1-1/8	Green	**15.75**
UAE008	Straight	1-1/2	Yellow	**15.75**

PIN PUNCH

- Ideal for driving out and removing already loosened pins and keys after initial movement by a starting punch
- Manufactured from high quality carbon steel
- Single piece construction with hexagonal shank increases durability
- Accurately hardened for increased service life

TLZ402



aurora tools®

Model No.	Point Diameter"	Stock Size"	Overall Length"	Promo Price
TLZ402	3/32	5/16	4-1/2	**4.49**
TLZ403	1/8	5/16	4-3/4	**4.59**
TLZ404	5/32	5/16	5	**4.59**
TLZ405	3/16	5/16	5-1/4	**4.59**
TLZ406	1/4	3/8	5-3/4	**5.29**
TLZ407	5/16	7/16	6	**6.99**

P1000 SERIES MEASURING TAPE

- Hi-Viz® orange case - easy to find on the job
- Rubber cushion case exterior protects tape from impact and improves grip
- Fits easily into most tape holsters
- Bright yellow blade has clear easy-to-read numerals
- Blade Length: 33'/10 m
- Blade Width: 1"
- Graduations: in./cm



CRESCENT Lufkin

Model No.	MFG No.	Promo Price
TLV619	PHV1410CMEN	**24.99**

IMPACTECH® POWER BITS

- Made from S2 modified shock resistant steel for professional performance and durability
- Proprietary, precision CNC machined tips for excellent fit in fastener recess
- Patented spiral torsion zone absorbs impact and extends bit life
- Drive Size: 1/4"
- Finish: Gunmetal Bronze

VEGA The Future of Fastener Driving Tools

Square



Phillips



Model No.	MFG No.	Tip Size	Overall Length"	Promo Price
SQUARE				
UAH845	P190R1A	#1	3-1/2	**1.59**
UAH846	P190R2A	#2	3-1/2	**1.59**
UAH848	P190R3A	#3	3-1/2	**1.59**
UAH809	P1150R1A	#1	6	**2.59**
UAH810	P1150R2A	#2	6	**2.59**
UAH812	P1150R3A	#3	6	**2.59**
PHILLIPS				
UAH212	P190P1A	#1	3-1/2	**1.59**
UAH213	P190P2A	#2	3-1/2	**1.59**
UAH216	P190P3A	#3	3-1/2	**1.59**
UAH186	P1150P1A	#1	6	**2.59**
UAH187	P1150P2A	#2	6	**2.59**
UAH189	P1150P3A	#3	6	**2.59**

SAMPLE

MAX XR® COMBO KIT

- **Includes:** (1) Max XR® 3-Speed 1/2" hammerdrill, (1) Max XR® 1/4" Impact driver, (2) Max XR® High capacity 5.0 Ah batteries, charger, (2) Belt hooks, (1) 360° Side handle, (1) Kit box
- Voltage: 20 V
- Battery Type: Lithium-Ion



Model No.	MFG No.	Promo Price
UAE545	DCK299P2	**569.00**

MAX IMPACT WRENCH

- Compact, lightweight design fits into tight areas
- 3 LEDs with 20 second delay after trigger release provide visibility without shadows
- Textured, anti-slip comfort grip provides maximum comfort and control
- Batteries and charger sold separately
- Voltage: 20 V
- Socket Size: 1/2"
- Battery Type: Lithium-Ion
- No Load RPM: 0-2300
- Max. Torque: 150 ft-lbs
- Compatible Batteries: 20V Max
- Anvil Type: Detent Pin
- Drive Type: Square
- No Load IPM: 0-2700
- Tool Length: 5.7"



Model No.	MFG No.	Promo Price
TLV819	DCF880B	**189.00**

IMPACT READY™ 1/2" SOCKET SET

- Pivoting organization pins allow for customized application-based storage
- Small footprint and easy to carry
- Includes 8 sockets and 2 adapters
- Designed for use in both corded and cordless impact drivers and wrenches
- No. of Pieces: 10
- Sockets Included: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"



Model No.	MFG No.	Promo Price
TYO366	DW22812	**69.95**

UTILITY CART

- Heavy-duty steel construction
- Full extension ball bearings slides on all drawers
- High quality 4" swivel casters
- No. of Drawers: 4
- Overall Dimensions: 18" L x 33" W x 39" H
- Drawer Capacity: 100 lbs.
- Unit Capacity: 550 lbs.
- Colour: Black



Model No.	Promo Price
TEP483	**449.00**

ANGLE GRINDER

- Labyrinth construction seals motor and bearings from contamination
- Thumb switch conveniently located for operator comfort
- Ergonomic soft grip for vibration absorption and comfortable operation
- Slim housing design for easy handling and maneuverability
- **Includes:** Grinding wheel, lock nut, lock nut wrench, inner flange, wheel cover assembly and plastic carrying case
- Wheel Diameter: 4 1/2"
- Voltage: 120 V
- Amps: 6 A
- No Load RPM: 11000
- Spindle Size: 5/8"



Model No.	MFG No.	Promo Price
TLV165	GA4530K	**99.00**

M18™ COMPACT VACUUM

- The high performance motor creates good suction for the cleanup of drywall dust, wood/metal shavings, and other common jobsite debris
- Runs on M18™ Redlithium™ batteries (not included)
- **Includes:** (1) M18™ Compact Vacuum, (1) 4' Hose, (1) Crevice tool, (2) Extension, (1) HEPA filter, (1) Floor tool
- Voltage: 18 V
- Tank Capacity: 0.3 gal.
- Battery Type: Lithium-Ion
- CFM: 40
- Inlet Diameter: 1-1/4"



Model No.	MFG No.	Promo Price
UAF093	0882-20	**159.00**

SAMPLE

MODULAR FILTERS, REGULATORS & LUBRICATORS (GAUGE INCLUDED)

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Air filter, regulator and lubricator come with NPT threads and gauge
- Operating Pressure: 7-145 PSI
- Bowl Material: Metal
- Bowl Capacity: 6.8 fl. oz.
- Filter Bowl Capacity: 5.60 oz.



TYY184

Model No.	Connection Size	Max Air Flow	Promo Price
TYY184	3/4" NPT	123 SCFM @ 105 PSI	**365.00**
TYY185	1" NPT	175 SCFM @ 105 PSI	**359.00**

AIR FLUX SCALER

- Lightweight compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Stroke: 1-1/2" (38 mm)
- Hose diameter: 3/8" (9.5 mm)
- Average air consumption: 9 CFM
- Air Inlet: 1/4" - 18 NPT
- Vibration Less Than: 10.2 m/s²
- Comes with 19 needles



Model No.	Promo Price
TLZ131	**159.00**

1/4" AIR SCREWDRIVER

- 1/4"-18 NPT air inlet, 6 CFM
- 1800 RPM; 0.5 HP
- Torque range: 45-115 ft-lbs.
- 3/8" hose size



Model No.	Promo Price
TLV495	**129.00**

1/4" STUBBY TYPE AIR RATCHET WRENCH

- Air Consumption: 3 CFM
- Air Inlet: 1/4" NPT
- Sound Level (dBA): 87
- Drive: 1/4"
- No Load RPM: 230
- Hose Diameter: 5/16" (8 mm)
- Vibration Less Than: 4.4 m/s²
- Torque Range: 5-30 ft-lbs.
- Overall Length: 7-1/4"



Model No.	Promo Price
TLZ140	**109.00**

HOSE REELS

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI
- Inner Hose Diameter: 3/8"
- Reel Outlet: 1/4" NPTM

TLZ483



Model No.	Hose Length'	Promo Price
TLZ483	25	**169.00**
TLZ484	35	**199.00**
TLZ485	50	**269.00**

ELECTRIC AIR COMPRESSOR



- Oil lubricated for cooler operation and reduced noise
- High output cast iron pump, delivers maximum performance
- Air pressure regulator enables adjustments of line pressure to tool
- Horsepower: 3.0 HP
- Tank size: 4.3 gallons
- Max PSI: 140
- Power supply: 120 V, 13.8 A
- CFM @ 90 PSI: 6.5 CFM
- **Includes:** 1/4" quick coupler, air filter, compressor oil

Model No.	Promo Price
TLZ557	**499.00**

SAMPLE

41-PC. 1/4" & 3/8" DRIVE S.A.E./METRIC SOCKET SET

- Ratchet features a quick-release button
- Laser-marked, 6-point sockets
- **Includes:** 35 chrome vanadium steel standard sockets and six accessories



aurora tools

Model No.	Promo Price
TLV360	69.95

WELD-ON HINGES

- Ideal for gates, machinery doors, BBQ pits, electrical boxes, trailers and more
- Can be painted to match the door and frame
- Hinges are specially buffed and are free of burrs, allowing for improved paint adherence
- Comes standard with rounded ends and with grease fittings
- Frame Material: Mild Steel w/Fixed Steel Pin
- Bushing Material: Brass



TTV437

aurora tools

Model No.	Length"	Diameter"	Pin Diameter"	Thickness"	Promo Price
TTV437	3.15	0.512	0.315	0.61	2.75
TTV438	3.937	0.63	0.394	0.768	3.70
TTV441	5.906	0.787	0.512	0.984	7.70

SLIP JOINT PLIERS

- Sure gripping precision milled jaws
- Light and rugged drop-forged alloy steel
- Flush pivot design for use in tight spaces
- Meets ANSI standards
- Overall Length: 6-1/2"



aurora tools

Model No.	Promo Price
TJZ078	8.45

STANDARD-DUTY BAR CLAMPS

- Widely used in welding and fabricating shops
- Throat depth: 4"
- Clamping force: 660 lbs.



TKZ890

BESSEY

Model No.	MFG No.	Clamping Capacity"	Promo Price
TKZ890	660-S8	8	65.95
TKZ891	660-S12	12	66.95
TKZ892	660-S18	18	69.95

WRENCH SET

- Surface Drive® nearly eliminates fastener rounding
- Exceed ANSI box-end strength requirement
- Forged metal
- Mirror chrome finish
- No. of Pieces: 13
- Size Standard: Imperial
- Type: Combination
- Sizes: 1/4" to 1"



GEARWRENCH

Model No.	MFG No.	Promo Price
TDS803	9312	139.00

TORPEDO LEVEL

- Made with high-impact plastic
- Top-reading feature allows visibility from above
- Tinted 360° vials make reading easy on the eyes
- Length: 9"
- Material: Plastic
- No. of Vials: 3
- Magnetic



STANLEY

Model No.	MFG No.	Promo Price
TQ055	42-264	13.49

SAMPLE

HAND PADS

- Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- May be used with water or chemical solvents
- 6" x 9"

NU022




NU023

Model No.	Description	Finish	Qty /Box	Promo Price
NU022	Tan Heavy-Duty	Coarse	10	**1.39/Pad**
NU023	Green Industrial	Scouring	20	**0.69/Pad**
NU024	Maroon General Purpose	Medium	20	**0.69/Pad**
NU025	Grey Ultra Fine	Ultra-Fine	20	**0.83/Pad**
NU026	White non-abrasive	Non-abrasive	20	**0.78/Pad**

CERABOND X GRINDING & COMBINATION WHEELS

NV606



- New structure of ceramic grain provides users with never before seen grinding speed
- Combination of new bonding system and ceramic grain allows the wheel to stay sharp until the end
- Offers extreme lifetime, resulting in less wheel changes
- Arbor Size: 7/8"
- Type: 27

Model No.	MFG No.	Dia."	Thickness"	Max. RPM	Promo Price
GRINDING WHEELS					
NV606	34401830	4-1/2	9/32	13 300	**6.89**
NV607	34387126	5	9/32	12 250	**7.79**
NV608	34401847	6	9/32	10 200	**10.39**
NV609	34401850	7	9/32	8600	**11.89**
NV610	34387127	9	9/32	6650	**18.69**
COMBINATION WHEELS, GRIT: 24					
NV611	34401827	4-1/2	5/32	13 300	**6.49**
NV612	34401841	5	5/32	12 250	**7.39**
NV613	34401843	6	5/32	10 200	**10.19**
NV614	34401849	7	5/32	8600	**11.49**
NV615	34401852	9	5/32	6650	**18.69**

JOBBER LENGTH HIGH SPEED STEEL SETS - HYPER

- Maintenance duty
- Right hand, 118° point
- General purpose used on steels, cast iron and most non-ferrous metals
- Machine and portable drilling applications
- Black oxide finish
- Steel case

QF420



Model No.	MFG No.	No. of Pieces	Size	Promo Price
BM889	ZD16813	13	1/16" to 1/4" by 1/64"	**24.99**
BM890	ZD16815	15	1/16" to 1/2" by 1/32"	**53.49**
BM891	ZD16821	21	1/16" to 3/8" by 1/64"	**44.69**
QF420	ZD16829	29	1/16" to 1/2" by 1/64"	**78.69**

747D CERAMIC ALUMINUM OXIDE FLAP DISCS – TYPE 27

- Premium ceramic mineral provides exceptional cut and life on the hardest metals
- Typical Applications: Stock removal, Deburring, Blending welds, Edge chamfering, Rust removal, Cleaning and finishing
- Diameter: 4-1/2"
- Arbor Size: 7/8"
- Max. RPM: 13 300



Model No.	MFG No.	Grit	Promo Price
BZ778	AB49613	36	**5.69**
BZ779	AB49614	50	**5.69**
BZ780	AB49615	60	**5.69**
BZ781	AB49616	80	**5.69**
BZ782	AB49617	120	**5.69**

SCOTCH-BRITE™ CLEAN AND STRIP XT PRO EXTRA CUT DISCS

- Quickly removes heavy rust, thick paint, corrosion, and cleans welds
- Aluminum oxide mineral aggressively removes top layer and cleans to the bare mental underneath
- High conformability provides a larger contact patch for faster removal rates
- High-strength fibre resists chunking and performs well on edges
- Grit: XCS
- Arbor Size: 5/8"-11
- Abrasive Material: Aluminum Oxide
- Attachment Type: Type 27
- Colour: Green



Model No.	MFG No.	Dia."	Max RPM	Promo Price
NV477	SB21050	4-1/2	13 300	**14.69**
NV479	SB29936	5	12 000	**14.99**

5-PC. FILE SET W/ERGONOMIC HANDLES



- Rubber-coated ergonomic handles for better comfort and control
- General purpose selection for home and professional use
- **Includes:**

6"/150 mm slim taper file
8"/200 mm flat bastard file
8"/200 mm mill bastard file
10"/250 mm mill bastard file
10"/250 mm half-round bastard file

Model No.	MFG No.	Promo Price
TBH218	22040HNN	**65.99**

SAMPLE

CD887 COIL & FIN CLEANER

- Water-based, foaming coil cleaner
- Foaming and penetrating action
- Non-flammable and non-corrosive
- Safe on all types of metal
- Container Type: Aerosol Can
- Net Volume: 18 oz.
- Container Size: 20 oz.



Model No.	MFG No.	Promo Price
AD056	SC0887000	**6.75**

EL2302 ELECTRONIC CONTACT CLEANER

- Heavy-duty degreaser and quick-drying cleaner
- Ideal for sensitive equipment and precision instruments
- Fast-evaporating
- Safe on most plastics
- Container Type: Aerosol Can
- Container Size: 16 oz.
- Net Fill: 11 oz.



Model No.	MFG No.	Promo Price
AA214	SC2302000	**14.89**

FREEZE SPRAY

- Aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment
- Assists in locating thermal intermittent components, failures and shorts
- Safe to use on sensitive components and all surfaces finishes
- Appearance: Clear Colourless Liquefied Gas
- Plastic Safe: Yes
- Flashpoint: None
- Evaporation Rate: Very Fast
- Net Volume: 355 ml
- Format: 284 g.
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AE971	74086	**19.59**

DIELECTRIC GREASE

- Moisture proof barrier that lubricates and protects electrical equipment from salt, dirt and corrosion
- High dielectric strength
- Good thermal, oxidation and chemical stability
- Temperature resistance: 400°F (204°C) continuous
- Format: 30 g.



Model No.	MFG No.	Promo Price
AC365	270640	**5.68**

CONSTRUCTION ADHESIVE

- Tough, versatile and all-weather adhesive
- 100% adhesive formula creates heavy-duty bonds
- 100% waterproof
- Format: 9 oz.
- Container Type: Cartridge
- Colour: White
- Application Time: 10 min.
- Full Cure Time: 24 hrs.
- Set Time: 30 seconds
- Application Temperature: 40°F to 100°F
- Service Temperature: -40°F to 200°F
- Sandable: Yes
- Paintable: Yes
- For use on: Wood, Metal, Stone, Ceramic, Glass, Most Plastics, PVC Sheet, Brick, Paper, Rubber
- VOC-compliant



Model No.	MFG No.	Promo Price
AF413	8110003	**10.49**

SILVER GRADE ANTI-SEIZE

- Heavy-duty, temperature resistant, petroleum- based lubricant
- Fortified with graphite and metallic flake
- Inert, will not evaporate or harden in extreme cold or heat
- For use in assemblies up to 1600°F (871°C)

YA275



AC437



Model No.	MFG No.	Format	Container Type	Promo Price
AC347	199012	291 g.	Brush Top Can	**19.98**
YA275	135541	12 oz.	Aerosol Can	**20.98**

SAMPLE

GROUNDSKEEPER TUSCAN™ CIGARETTE WASTE COLLECTOR



- Molded-in colour polymer body, with UV inhibitors, will not fade, chip or rust
- Powder-coated aluminum cap will not burn or melt
- 13 sq.in. x 38-1/2" H
- Colour: Black

Model No.	MFG No.	Promo Price
NI686	FG9W3000BLA	**189.00**

INDUSTRIAL GARBAGE BAGS

- Excellent strength and puncture resistance eliminates the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL Ecologo® by a well recognized Canadian third party certification body
- UL Ecologo® certified bags are less harmful for the environment
- Length: 50"
- Width: 35"
- Colour: Black
- Material: Recycled Material
- Type: Open Top



JM684

Model No.	Strength	Thickness mils	Qty /Pkg.	Promo Price
JM683	2X Strong	1.9	75	**24.99**
JM684	3X Strong	3.0	50	**26.39**

GARAGE PUSH BROOM HEADS

- Ideal for sweeping up large/heavier debris on medium to rough surfaces, both indoor and outdoor
- Heavy-duty polystyrene bristles have a medium texture and excellent durability
- Two holes on the top of the block are designed to work with compatible threaded broom handles (sold separately)
- Durable hardwood block is reversible for even wear
- Bristle Material: Polystyrene
- Sweep Action: Stiff

JM934



JN096



Model No.	MFG No.	Block Length"	Promo Price
JM934	PB-G18	18	**8.95**
JM935	PB-G24	24	**10.95**
JM936	PB-G36	36	**20.95**
HANDLE, 54" WITH METAL THREAD			
JN096	FH-W354MT	-	**4.99**


ROUND BRUTE® CONTAINERS

- Extra strong polyethylene construction
- Internal venting channels allow for easy removal of garbage bags
- Will not rust, chip or peel
- UV stabilizer added for maximum life in outdoor setting
- Accepted for use in Canadian food processing facilities
- Colour: Grey

NA691



NA694



CONTAINERS

Model No.	MFG No.	Capacity US gal.	Dia."	Height"	Promo Price
NA691	FG263200GRAY	20	19-1/2	22-7/8	**35.50**
NA698	FG263200GRAY	32	22	27-1/4	**47.50**

FLAT LIDS

Model No.	MFG No.	Fits Container US gal.	Promo Price
NA687	FG261960GRAY	20	**13.70**
NA694	FG263100GRAY	32	**17.25**

HEAVY-DUTY LITTER SCOOP

- Heavy-duty with light weight frame for picking up debris
- Type: Bag
- Bag Colour: Blue
- Bag Material: Vinyl
- Frame Material: Steel



Model No.	MFG No.	Promo Price
JM846	LS-1171	**39.00**

FLEXIBLE MICROFIBRE DUSTER

- Adjustable and will flex to accommodate irregular shaped surface

JM807



JM800



JM801



Model No.	MFG No.	Description	Promo Price
JM800	DU-M8500	22" Duster Frame	**11.95**
JM801	DU-M8501	22" Duster Refill Sleeve	**8.95**
JM807	FH-A3180	39"-70" Extension Aluminum Handle	**12.95**

SAMPLE

BILINGUAL POP-UP SAFETY CONE

- Bright yellow colour promotes visibility of the safety hazard(s) to help prevent accidents
- Polyester construction is easy to hand wash and resists damage from oils and various chemical solvents
- Plastic case and wall mounting hardware included
- Height: 30"



Model No.	Promo Price
JI455	37.00

CANDYSTRIPE WAXER™ MOPS

- Use with low to medium gloss floor finish
- Type: Floor Finishing/Wax
- Style: Loop
- Material: Polyester/Rayon
- Band Width: Narrow
- Colour: Blue & White

JM837



JM868



Model No.	MFG No.	Mop Weight	Size	Promo Price
JM867	MW-CS20	20 oz.	Medium	9.99
JM868	MW-CS24	24 oz.	Large	11.95
60" STANDARD METAL HANDLE				
JM837	HW-145M	-	-	9.99

RESOLVE CLEANER AND DEGREASER

- An A.P.E. and butyl-free cleaner and degreaser recommended for use on any washable surface where dirt, grease and oily residue become a problem
- Container Type: Jug
- Container Size: 12 lbs.
- Net Volume: 5 L




Model No.	MFG No.	Promo Price
JG669	53209	17.99

MAXIMIZER QUICK-CHANGE SQUEEGEE

- Floor squeegee easily connects to the maximizer quick-change handle
- Squeegee blades are designed for easy removal of liquids
- Stores easily in maximizer storage tray
- Handle not included
- Blade Style: Straight
- Blade Length: 13"
- Colour: Black

JI526



JK997

JI524



Model No.	MFG No.	Description	Promo Price
JI526	2018801	Squeegee	20.95
METAL HANDLES W/CLIP ON TIP			
JI524	2018789	35-1/2" Telescopic	16.95
JK997	2018823	57" Standard	10.95

GREEN HAND SOAP

- Smooth gel removes dirt and tough stains with ease
- Fresh green apple scent
- Biodegradable, phosphate free
- Accepted for use in Canadian food processing facilities
- Container Type: Jug
- Net Volume: 4 L



Model No.	Promo Price
NI349	9.99

QUATROMYICIDE II LIQUID GERMICIDE

- Broad-spectrum quaternary ammonium bactericidal liquid which can be used as a final rinse to disinfect, sanitize and deodorize all surfaces not affected by water alone

PF670

JH358



Model No.	MFG No.	Container Size	Container Type	Promo Price
JH358	52889	750 ml	Trigger Bottle	4.59
PF670	52891	5 L	Jug	26.95

SAMPLE

WELDING SCREENS AND FRAMES

- Innovative COMBOframe combines high durability with extreme versatility
- Made with heavy-duty finished steel tubing and connects with spring-pins
- Assembles in less than five minutes, no tools required
- Transparency: High
- UV Resistance: Moderate
- Screen Material: Specially formulated 14 mil thick vinyl
- **Sold per panel**

NT890



Model No.	Colour	Swatch	Dim. W' x H'	Promo Price
NT890	Orange		6 x 6	**109.00**
NT891	Orange		8 x 6	**119.00**
NT888	Yellow		6 x 6	**109.00**
NT889	Yellow		8 x 6	**119.00**

STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG


- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
- Welds up to 1/2" and cuts up to 5" with larger tips
- **Includes:** Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU521	4403224	**595.00**

HEAVY-DUTY GROUND CLAMPS

NT668



- Manufactured from nickel-plated steel with forged brass conductors
- Braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
- Allen-type wrench included


Model No.	Amps	Promo Price
NT668	300	**13.75**
NT669	500	**15.99**

FOLD-A-JACK® HI JACKS

- 1" square tube base construction
- Quick-action lock washer for quick height positioning
- Patented Fall Guard™ feature allows 1" safety zone around lock washer
- 1 1/2" Acme fine adjustment thread handle, the largest in the industry
- Large, convenient adjustment handle
- Set screw for double margin of safety, can lock jack head to stand for transportation, no loose pieces
- Perfect for work height on shapes or pipes 24" in diameter or smaller
- Carrying handle for ease of transportating
- Jack independently load tested for quality assurance
- 2500-lb capacity
- CE rated

432-1161





Vee-Head




Roller Head

Model No.	MFG No.	Description	Promo Price
432-1161	781300	ST-881 w/Vee Head	**149.00**
432-1162	781301	ST-882 w/Roller Head	**199.00**

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
- Length: 12"
- Diameter: 5/16"
- Qty/Pkg.: 50
- **Sold per package**



Model No.	Promo Price
NT635	**21.49/Pkg.**

ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO_2 gas shielding
- Can also be applied with $ArCO_2$
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6



Model No.	Wire Diameter"	Spool Wt.	Spools per Master Box	Promo Price
NT553	0.023	11 lbs./5 kg	4	**26.99/Spool**
NT554	0.030	11 lbs./5 kg	4	**15.99/Spool**
NT556	0.023	33 lbs./15 kg	1	**71.99/Spool**

SAMPLE

MULTI-PURPOSE MIG PLIERS

- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish

NP537



NT666



Model No.	Description	Promo Price
NP537	8-way pliers	**9.95**
NT666	Holster Only	**3.85**

SHORTSTUB™ ELECTRODE HOLDERS

- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact
- Electrode Capacity: 3/32" (2 mm) - 3/16" (5 mm)



NT629 NT631 NT630

Model No.	Description	Amps	Promo Price
NT629	Shortstub™ w/Neck Ring	400	**15.75**
NT631	Shortstub™ w/Neck Ring	600	**18.75**
NT630	Slimline - Bernard® Style	400	**15.75**

WELDING MAGNET

- Holds steel plates at any of five angles (30°, 45°, 60°, 75° & 90°)
- Strength: 50 lbs.
- Width: 15/32"



Model No.	MFG No.	Promo Price
TDP648	377	**24.95**

TUNGSTEN CARBIDE SCRIBE

- Durable tungsten carbide point makes precise marks to 1/100"
- End cap magnet picks up stray metal shavings
- The point can be reversed for safe storage in pocket or toolbox



Model No.	MFG No.	Description	Promo Price
TV178	88	6" Scribe	**11.59**
TV177	88P	Replacement Point, Pack of 6	**6.50/Pkg.**

TULINE TWIN WELDING HOSE ASSEMBLIES

- Premium quality US made hose with "B" size brass fittings
- Type: Grade T Hose
- Hose Inside Diameter: 3/8"
- Nominal I.D.: 3/8"



Model No.	MFG No.	Hose Length'	Promo Price
302-7170	00521586250	50	**149.00**
302-7180	00521586290	100	**299.00**

9-IN-1 SQUARE DRIVE MULTI-BIT DRIVER

- Power groove bits for power tool compatibility and jobsite versatility
- Magnetic bit retention delivers consistent driving performance
- **Includes:** 1/4" Nut driver, 9-in-1 square drive multi-bit driver, 1" SQ1 square bit, 2" SQ2 square bit, 2" SQ3 square bit, Loop maker, #1 Phillips, #2 Phillips, 1/4" x 4" Slotted, 3/16" x 6" Slotted
- Handle Type: Cushion Grip
- Overall Length: 9"
- Bit Length: 3-1/2"
- Shank Type: Hex
- Finish: Chrome



Model No.	MFG No.	Promo Price
UAF942	48-22-2132	**19.95**

SAMPLE

Z1100 SERIES WELDING SAFETY GOGGLES

- Can be used over most prescription eyewear
- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Ventilation Type: Indirect
- Standard(s) Met: ANSI Z87+/CSA Z94.3
- Lens Coating: Anti-Fog
- Band Type: Elastic

SGR808



Model No.	Lens Tint	Promo Price
SGR808	3.0	**11.43**
SGR809	5.0	**13.61**

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Passive lens
- Material: Thermoplastic
- **NT645:** Meets ANSI Z87.1-1989, section 10 and 11
- **NT687:** Meets ANSI/ISEA Z87.1-2015



NT687



NT645

Model No.	Description	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4-1/4	**14.92**
NT687	Fixed Front	4-1/2 x 5-1/4	**21.86**

STANDARD QUALITY WELDING GLOVES & MITTS

SAO130



- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Size: Large
- Thumb Style: Wing

SAO131

Model No.	Description	Cut Pattern	Promo Price
SAO130	Gloves	Gunn	**4.85/Pair**
SAO131	One-Finger Mitts	Clute	**5.15/Pair**

CARRERA™ ARCONE® HOOD

- Ultra-light and has a sleek, modern design, and its versatility and lens options make it a popular choice for seasoned welders and students alike
- Carrera™ ArcOne® Auto-Darkening lenses meet ANSI and CSA and are CE approved
- Viewing Area: 2" L x 3" W
- Shade Level: 9 - 13
- Light State: 4
- Amps: 25
- Number of Sensors: 2
- Colour: Black



Model No.	MFG No.	Promo Price
NY219	1000F-0100	**119.00**

FLAME RETARDANT SLEEVES

- Manufactured from flame retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Certification: ASTM D6413-13b
- Colour: Black



Model No.	Length"	Promo Price
TTV011	18	**9.39/Pair**
TTV012	23	**11.75/Pair**

PROBAN WELDING JACKETS

- 30" length jacket made of black 9-oz. Proban FR-7A flame retardant cotton sateen for safety and cool comfort
- Select cowhide sleeves provide superior flame, heat and abrasion resistance for heavy-duty protection
- Five-snap closure front minimizes hot shooting spatter from entering
- Colour: Black



Model No.	Size	Chest Measurements"	Promo Price
TTV013	Medium	40-42	**61.99**
TTV014	Large	44-46	**61.99**
TTV015	X-Large	48-50	**61.99**
TTV016	2X-Large	52-54	**66.99**
TTV017	3X-Large	56-58	**73.99**
TTV018	5X-Large	64-66	**85.99**

SAMPLE

PURA-FIT® PLUGSTATION® EARPLUG DISPENSERS



- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
- NRR dB: 33

SF624

MOLDEX

Model No.	MFG No.	Description	Pairs /Dispenser	Promo Price
SE847	6844	Uncorded	250	**49.99**
SF624	6845	Uncorded	500	**95.99**

PORTA-STREAM® II EYEWASH STATION

- Versatile portability and 15-minutes of uninterrupted flushing
- Simple installation and operation
- Nozzle strap is easily removed to activate, leaving hands free to hold eyes open
- Versatile flushing options include Eyesaline®, a preserved, buffered saline solution superior to tap water in emergency eye care
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1



SEK529

Honeywell

Model No.	Description	Promo Price
SEK529	Station w/Trilingual Instructions	**409.00**
SA411	Eyesaline® Concentrate, 180 oz.	**83.95**
SAJ677	Eyewash Water Preservative 8-oz. Bottles, 4/Case	**38.99/Case**

SERIES A1105 AMERICAN LOCK® SAFETY PADLOCKS

Master Lock

- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Uses FDA approved lubricants safe for use in food processing
- Lightweight solid aluminum body for lockout/tagout
- Body Dim.: 1-1/2" W x 1.75" T
- Shackle Clearance: 3/4" W x 1" H x 1/4" Dia
- Keyed Different

SAO712



SAO720

Model No.	MFG No.	Colour	Promo Price
SAO712	A1105BLK	Black	**16.99**
SAO713	A1105BLU	Blue	**16.99**
SAO714	A1105GRN	Green	**16.99**
SAO715	A1105ORJ	Orange	**16.99**
SAO716	A1105RED	Red	**16.99**
SAO717	A1105YLW	Yellow	**16.99**
SAO720	A1105PRP	Purple	**16.99**

MX-5 EARMUFF

- Soft cushion-ribbed open air headband
- Lightweight wire frame allows easy cup adjustment
- Extra soft foam/low pressure cushions and headband are PVC-free
- NRR dB: 27
- Class AL



MOLDEX

Model No.	MFG No.	Promo Price
SDK993	6120	**28.49**

FIBRE-METAL® SUPEREIGHT™ ROUGHNECK P2A HARDHATS

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Class: ANSI Class G, CSA Class C
- Suspension Type: Ratchet
- Certification(s): ANSI Type I



SAM405

Honeywell FIBRE-METAL



SAM406



SAM404

Model No.	MFG No.	Colour	Promo Price
SAM404	P2AQRW09A000	Grey	**32.99**
SAM405	P2AQRW74A000	Green	**32.99**
SAM406	P2AQRW71A000	Blue	**32.99**

UVEX® BIONIC™ SHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Height: 8-1/2"
- Width: 16-1/2"
- Thickness: 0.06"
- Material: Polycarbonate
- Shield Tint: Clear
- Suspension Type: Ratchet
- Standard(s) Met: CSA Z94.3

Honeywell UVEX



SAK422

Model No.	MFG No.	Description	Promo Price
SAK421	S8500	Uncoated	**29.95**
SAK422	S8510	Anti-fog hardcoat	**44.95**

SALE

DIGITAL MEASURING WHEEL



- Lightweight and easy to use, designed for professional and personal usage
- Large wheel model ensures accuracy and is ideal for uneven terrain
- Suitable for outdoor and indoor distance measuring applications
- Pistol grip handle for ergonomic comfort
- Measuring Range: 99999.9 m
- Graduations: Feet/Metres
- Wheel Diameter: 12.5"/31.8 cm
- Resolution: 0.1 m
- Power: 3 V (2 x LR3 Batteries)
- Suitable Temperature: -10°C - 45°C

Model No.	Promo Price
TYY302	74.95

PORTABLE LED WORK LIGHT



- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance
- Lumens: 2500
- Wattage: 20 W
- Housing Material: Aluminum

Model No.	Promo Price
XG816	51.99

G26 FLASHLIGHT

- Impact and weather resistant
- Tested and rated to ANSI/FL1 standards
- Lamp Type: LED
- Lumens (High): 120
- Run Time Hrs. (High): 3.25
- Battery Type: AA
- Batteries Included
- Beam Distance (High): 32 m
- Mode: High
- Beam Optic: Utility Beam
- Length: 6.05" (15.36 cm)
- Body Material: Aluminum
- Body Colour: Black



Model No.	MFG No.	Promo Price
XE979	20402	23.95

FLAME-RESISTANT HIGH VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" orange/silver reflective stripes offer maximum night-time visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Three hook & loop sealed pockets and one open pocket
- Safety D-ring access slot
- Two radio loops
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Colour: High Visibility Lime-Yellow

SGF140



Model No.	Size	Promo Price
SGF140	Medium	14.75
SGF141	Large	14.75
SGF142	X-Large	14.75
SGF143	2X-Large	14.75

SCOTCH® SUPER 33 TAPE

- All weather, premium grade vinyl tape for primary insulation up to 600 V or protective jacketing for low/medium voltage cable splices and repairs
- Aggressive adhesive and elastic backing ensures easy conformation to irregular surfaces for moisture tight electrical and mechanical protection
- Will perform in a continuous temperature environment up to 220°F (105°C)
- Conformable for cold weather applications: 0°F (-18°C)
- UL and CSA approved
- Width: 19 mm (3/4")
- Length: 20.1 m (66')
- Thickness: 7 mils
- Colour: Black



Model No.	MFG No.	Promo Price
PC693	SUPER33-3/4X66	6.85/Roll

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Hook and loop closure permits optimal fit
- Available in various lengths
- **Sold individually**



Model No.	Length"	Promo Price
SEF122	10	2.35
SEF123	12	2.35
SEF124	13-1/2	2.35
SEF125	15	2.35
SEF126	17	2.35

SAMPLE

Pricing in effect until July 9, 2021 or while quantities last. Taxes and freight extra. Issue #SDW221042NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.