SHOP ESSENTIALS PROMOTION!

UTILITY WORKSHOP VISE

- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slippage
- Jaw Width: 6"
- Jaw Opening: 6 1/2"
- Throat Depth: 3 2/5"
- Mount Type: Swivel

aurora tools®

Model No.	Promo Price
TYL097	149.00

HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal models features adjustable height and heavy-duty round base for added stability
- Pedestal models can be used in oscillating or non-oscillating mode
- 9.8' SJT power cord
- Diameter: 30"

MATRIX® INDUSTRIAL PRODUCTS

Model No.	Description	CFM	Promo Price
EA666	Pedestal	13200	450.00
EA667	Wall mount	13400	375.00

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- **NT645:** Meets ANSI Z87.1-1989, section 10 and 11
- **NT687:** Meets ANSI/ISEA Z87.1-2015

WELD-MATE

Model No.	Description	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4 1/4	13.95
NT687	Fixed Front	4 1/2 x 5 1/4	19.95

WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty

WEARWELL

Model No.	MFG No.	Dimensions W' x L'	Promo Price
NG181	447.916X2X3BK	2 x 3	75.95
NG182	447.916X3X5BK	3 x 5	169.00

Pricing in effect until June 29, 2018 or while quantities last. Taxes and freight extra. Issue #SDW7052NA
Prices are subject to change, and may vary without prior notice.

SAMPLE

LED FLASHLIGHTS

- High strength aluminum casing
- Shatterproof lens
- **XE888**: Run Time Hrs. (High): 2
- **XE889**: Run Time Hrs. (High): 2; (Low): 3
- Batteries required **(not included):** Three AAA **(XE888)**, Four AAA **(XE889)**
- Colour: Black

aurora tools

XE888

XE889

Model No.	LED	Lumens Low	Lumens High	Beam Distance (m)	Promo Price
XE888	28	-	98	35	**10.79**
XE889	45	31	157	45	**14.99**

OUTDOOR VINYL EXTENSION CORDS

- 3-conductor SJTW, 300-V grounding
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility

XC493

XC485

aurora tools

SINGLE TAP

Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-DUTY ORANGE					
XC482	25	14/3	15	1875	**15.99**
XC483	50	14/3	15	1875	**29.99**
XC484	100	14/3	13	1625	**58.99**
EXTRA HEAVY-DUTY YELLOW					
XC485	25	12/3	15	1875	**23.99**
XC486	50	12/3	15	1875	**45.99**
XC487	100	12/3	15	1875	**89.99**

TRIPLE TAP

Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-DUTY RED					
XC488	25	14/3	15	1875	**18.99**
XC489	50	14/3	15	1875	**34.99**
XC490	100	14/3	13	1625	**64.99**
EXTRA HEAVY-DUTY RED					
XC491	25	12/3	15	1875	**27.99**
XC492	50	12/3	15	1625	**49.99**
XC493	100	12/3	15	1625	**99.99**

PORTABLE HALOGEN WORK LIGHTS

- 500 W
- Housing material: Steel
- Adjustable tilting head
- Halogen bulbs included
- **XC950**: Adjustable tripod for desired height

XC950

XC949

aurora tools

Model No.	Description	Lumens	Promo Price
XC949	Portable Light	8000	**19.99**
XC950	Twin Lights	16000	**54.99**

TROUBLE LIGHT

- Lightweight, rugged, impact resistant housing
- 25' grounded cord
- On/Off switch in handle
- 75 watts, bulb not included
- **Includes:** Hanging hook and electrical outlet

aurora tools

Model No.	Promo Price
XC660	**23.99**

WIND-UP EXTENSION CORD

- 10 A, 1250 W
- 4 grounded outlets
- 25' cord length
- Gauge (AWG): 16/3
- Built-in resettable circuit breaker

aurora tools

Model No.	Promo Price
XE671	**29.99**

SAMPLE

SURGE SUPPRESSOR

- Lighted on/off switch with built-in circuit breaker
- Protects against damage cuased by power spikes
- Ideal for multiple electronic devices
- No. of outlets: 6
- Cord length: 3'
- Rated jules: 200
- Max. Amps: 15 A
- Wattage: 1875 W
- Voltage: 125 V

aurora tools

Model No.	Promo Price
XE670	6.99

ELECTRICAL TAPE

- Electrical tape for splicing and insulating wires
- For use between -7°C and 80°C
- CSA approved
- 3/4" x 60' (19 mm x 18 m)
- Thickness: 7 mils
- Material: Vinyl Plastic
- Colour: Black

aurora tools

Model No.	Promo Price
XE890	0.69

8-OUTLET WORKSHOP POWER BOX

- 15 A, 125 V, 1875 W
- Five standard outlets
- Three wide-spaced outlets for transformer-sized plugs
- 6' 14/3 power cord
- Lighted On/Off switch with built-in circuit breaker protects against overloads

PRIME

Model No.	MFG No.	Promo Price
XC040	PB801130	29.99

SCOTCH® SUPER 33+ ELECTRICAL TAPE

- Premium grade vinyl tape for primary insulation up to 600 V
- Conformable in temperatures from 0°F to 220°F (-18°C to 105°C)
- 3/4" x 66' (19 mm x 20.1 m)
- 7-mil thick
- UL and CSA approved

3M

Model No.	MFG No.	Promo Price
PC693	SUPER33-3/4X66	6.55

AC VOLTAGE DETECTOR

- For use on 50/60 Hz circuits
- Built-in flashlight with on/off button
- Flashing red LED indicator
- Double-molded plastic housing
- All outer surfaces are non-conductive for safety
- Cat. IV 600V safety rating
- UL listed
- Power Supply: 2 x 1.5 V "AAA" batteries
- 6.25" x 1"

REED

Model No.	MFG No.	Promo Price
IA976	R5100	22.95

OUTLET CIRCUIT TESTER

- Tests whether the outlet is properly wired
- Can perform the entire array of tests by simply plugging the device into the outlet
- One light shows a voltage difference between hot and neutral slots, another shows a voltage difference between the hot slot and the ground hole, and a third shows a voltage difference between the neutral slot and the ground hole
- Easy to read light pattern chart
- Meets LVD:EN 61010-1:2010, EMC:EN61326-1: 2006, EN61000-3-2:2006+ A2:2009, EN61000-3-3:2008
- Display Type: Indicator Light
- Voltage Range: 110 - 125 VAC

REED

Model No.	MFG No.	Promo Price
IB741	R5200	8.25

SAMPLE

7-PC. SCREWDRIVER SET

- **Includes:**
  Square tip: #1, #2
  Phillips: #1, #2
  Flat: 1/8", 1/4", 5/16"
- Industrial quality and strength
- Treated blade tip for a lifetime of performance
- Meets ANSI standards

aurora tools

Model No.	Promo Price
TJZ827	20.95

4-PC. CURVED JAW LOCKING PLIERS W/WIRE CUTTER SET

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards
- **Includes:**
  TJZ090, 4" L
  TJZ091, 5" L
  TJZ092, 7" L
  TJZ093, 10" L

aurora tools

Model No.	Promo Price
TLZ791	33.50

PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance
- Precision-milled sure gripping teeth
- Spring action ensures sure grip and quick release

aurora tools

TJZ106

Model No.	Length"	Pipe Capacity"	Promo Price
TJZ106	8	1	8.95
TJZ107	10	1 1/2	11.95
TJZ108	12	2	13.95
TJZ109	14	2	17.95
TJZ110	18	2 1/2	22.95

HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit

TNB731 TNB732

aurora tools

Model No.	Key Sizes	Promo Price
SAE - SHORT ARM (13 KEYS)		
TNB731	1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	7.65
METRIC - SHORT ARM (9 KEYS)		
TNB732	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	5.95

COMBINATION WRENCH SETS

- Chrome vanadium steel for strength and durability
- Precision broached jaws for sure gripping
- 12-point box end for snug fit
- Thin walled construction for access in cramped quarters
- Meets ANSI standards

TLV055

aurora tools

Model No.	Description	Promo Price
TLV055	**14 SAE Combination Wrenches:** 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4"	78.95
TLV056	**14 Metric Combination Wrenches:** 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm	78.95

C-CLAMPS

- Manufactured from SG iron
- Large swiveling pad adapts to the correct angle
- Textured powder coat finish on frame and black oxide on spindle

TYB502

aurora tools

Model No.	Clamping Capacity"	Throat Depth"	Min. Proof Test lbs.	Promo Price
TYB502	2	1 5/8	800	10.95
TYB503	3	1 11/16	1000	13.95
TYB508	12	4	2500	49.75

SAMPLE

3-PIECE BASIC PLIER SET

- Precision milled jaws
- Black nickel finish resists rust
- Meets ANSI standards
- **Set includes:**
  TJZ078 Slip joint, 6" L
  TJZ083 Diagonal cutting, 6" L
  TJZ086 Long nose cut, 6" L



aurora tools

Model No.	Promo Price
TLZ795	19.99

8-PIECE LOCKING PLIER SET

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards
- **Set Includes:**

TJZ090 Curved jaw w/wire cutter, 4" L
TJZ091 Curved jaw w/wire cutter, 5" L
TJZ092 Curved jaw w/wire cutter, 7" L
TJZ093 Curved jaw w/wire cutter, 10" L
TJZ094 Long nose w/wire cutter, 4" L
TJZ095 Long nose w/wire cutter, 6" L
TJZ096 C-clamps w/swivel pads, 6" L
TJZ097 C-clamps w/swivel pads, 11" L



aurora tools

Model No.	Promo Price
TLZ792	79.95

aurora tools

RUBBER MALLETS

- Hardwood handle
- Non-marking rubber head

Model No.	Colour	Wt. oz.	Promo Price
TJZ043	Black	16	6.35
TJZ044	Black	32	7.65
TJZ045	White	16	7.85
TJZ046	White	32	9.95

700 SERIES MEASURING TAPES

- Magnetic end hook is a time-saver for framers, HVAC installers and more
- Use for one-man measurements of steel framing and drop ceiling grids
- Powerful dual magnets can also serve as a pick-up tool
- Non-slip co-moulded rubber grip
- Blade Width: 1"
- Stud Markings: 16/19.2"

Lufkin

Model No.	MFG No.	Blade Length	Graduations	Promo Price
TLZ169	L725MAG	25'	in/ft.	13.95
TLZ076	L748MAG	26'/8 m	in/cm	13.95

HEAVY-DUTY BENCH VISES W/SWIVEL BASE

- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slippage

aurora tools

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TYL098	4	4 1/2	2 1/2	89.50
TYL099	5	5 1/2	3	129.00
TYL100	6	6 1/2	3 4/10	159.00
TYL101	8	8 3/10	3 8/10	249.00

HACKSAW FRAME

- Adjustable crank handle for tension up to 30000 PSI
- Blade can be positioned for 45° or 90° cutting
- Spare blades can be stored inside frame
- End of frame can be used as a jab saw

Nicholson®

Model No.	MFG No.	Promo Price
TJ557	80956	26.95

SAMPLE

1/4" PNEUMATIC DIE GRINDERS

- Twin bearing spindle
- 1/4"-18 NPT air inlet
- 3/8" hose size

THZ679

THZ678

aurora tools

Model No.	Description	RPM	HP	Promo Price
THZ678	Mini	25000	0.35	**59.95**
THZ679	Angle	18000	0.45	**72.50**

5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size

aurora tools

Model No.	Promo Price
THZ674	**149.00**

1/2" HEAVY-DUTY AIR IMPACT WRENCH

- Pin-clutch hammer mechanism
- 7000 RPM
- 5/8" bolt capacity
- 320 ft-lbs. max. torque
- 3/8" hose size

aurora tools

Model No.	Promo Price
THZ673	**128.00**

HEAVY-DUTY AIR RATCHET WRENCHES

- 175 RPM; 0.45 HP
- 5-75 ft-lbs. of torque
- 3/8" hose size
- Variable speed reversible

THZ671

aurora tools

Model No.	Drive"	Promo Price
THZ671	3/8	**79.90**
THZ680	1/2	**89.90**

AIR REVERSIBLE DRILLS

- Keyless chuck
- 1/4"-18 NPT air inlet
- 3/8" hose size

THZ676

THZ675

aurora tools

Model No.	Chuck"	RPM	Promo Price
THZ675	3/8	1800	**94.50**
THZ676	1/2	450	**119.00**

AIR BLOW GUNS

- Impact and weather resistant nylon body
- Variable speed trigger
- Maximum working pressure: 235 PSI
- Operating temperature: -10°C to 70°C
- Standard(s) Met: OSHA STD 1-13.1

HEAVY-DUTY SAFETY BLOW GUN (TYB520)

- Comes with snub nose rubber tip

HEAVY-DUTY BLOW GUN (TYB519)

- Basic application



HEAVY-DUTY SAFETY BLOW GUN W/STAINLESS STEEL NOZZLE (TYB521)

- Comes with 4 1/2" stainless steel nozzle

aurora tools



HEAVY-DUTY SAFETY BLOW GUN W/STAINLESS STEEL NOZZLE & SILENCER (TYB522)

- Comes with 5 1/2" stainless steel nozzle and silencer

Model No.	Description	Promo Price
TYB519*	Blow Gun	**17.95**
TYB520	Safety Blow Gun	**21.95**
TYB521	Safety Blow Gun w/SS Nozzle	**21.95**
TYB522	Safety Blow Gun w/SS Nozzle & Silencer	**26.95**

* Does not meet the requirements for OSHA

SAMPLE

UTILITY CARTS

- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- Drawer capacity: 100 lbs.
- Unit capacity: 550 lbs.
- High gloss powder coat scratch resistant black paint

TEP502

aurora tools

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Promo Price
TEP502	2	30 x 16 1/2 x 36	106	575.00
TEP483	4	33 x 18 x 39	132	455.00

MECHANIC'S TOOL CARTS

- Utility cart offers ball-bearing slides, Posi-Latch drawer latching system and tubular keyed lock
- Colour: Black

TEP464

WATERLOO TOOL STORAGE

Model No.	No. of Drawers	O.A. Dimensions W" x D" x H"	Promo Price
TEP465	3	33 3/4 x 19 3/4 x 34 1/4	265.00
TEP464	5	34 1/4 x 19 1/4 x 32 1/4	315.00

OPEN TOP 14" SOFT SIDE TOOL BOX

- Plastic reinforced internal pocket for utility knife or other tools
- Sturdy metal handle bar with molded foam grip for easy carrying
- Wide open space below handle for easy access to tool carrier's main compartment
- 21 multi-use pockets and 10 webbing loops to organize a wide range of tools and accessories
- Colour: Beige & Grey
- Material: Polyester
- 14" L x 11" W x 11" H

Kuny's

Model No.	MFG No.	Promo Price
TJZ969	SW-1578	64.99

ATB100 TOOL BOXES

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish

TEP338

TEP340

aurora tools

Model No.	O. A. Dimensions W" x D" x H"	Unit Capacity (lbs.)	Promo Price
PORTABLE TOOL BOX W/METAL TOOL TRAY			
TEP516	16 x 6 x 6 1/2	50	27.95
TEP336	21 x 8 3/4 x 9	50	49.95
TEP337	26 x 8 3/4 x 9	50	62.95
HIP ROOF BOX W/METAL TOOL TRAY			
TEP338	20 x 7 x 8	50	39.95
CANTILEVER TOOL BOX			
TEP339	21 x 8 3/4 x 12	20	69.95
3-DRAWER CHEST			
TEP340	21 x 8 3/4 x 12	50	72.95

HIGH CAPACITY DROP-FRONT CHEST

- Site-Vault™ security system with 12-gauge steel lock console with two locking points, full length console and fully welded padlock housing make the lid virtually impossible to bend or pry
- O.A. dim.: 60" W x 31" D x 45" H
- Colour: Red
- Capacity: 41.5 Cubic Feet
- Weight: 340 lbs.

JOBOX

Model No.	MFG No.	Promo Price
TEP341	1-657990	1699.00

LARGE TAPE HOLDER

- Designed to fit up to 30' tapes
- Material: Leather
- Colour: Beige
- No. of Pockets: 1
- 6 3/4" L x 4 1/2" H

Kuny's

Model No.	MFG No.	Promo Price
TBN166	HM-1214	7.99

SAMPLE

HIGH SPEED STRINGER BEAD KNOT WIRE WHEEL BRUSHES

- An economic alternative to the high-value Osborn® brand
- Geared toward light industrial and DIY users
- Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
- Standard arbor sizes or shanks
- Max. RPM: 12000
- Arbor Hole: 5/8-11"
- Fill Dia.: 0.02"

NU105

Model No.	MFG No.	Brush Dia."	Type	Face Width"	Promo Price
NU105	99083	5	Steel	3/16	**14.29**
NU107	99084	6	Steel	1/4	**11.49**
NU108	99086	6 1/2	Steel	3/16	**11.79**
NU106	99089	6	Stainless	1/4	**33.39**

HAND PADS

- Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- May be used with water or chemical solvents
- 6" x 9"

NU022

aurora tools

Model No.	Description	Finish	Qty /Box	Promo Price
NU023	Green Industrial	Scouring	20	**0.65/Ea.**
NU024	Maroon General Purpose	Medium	20	**0.65/Ea.**
NU025	Grey Ultra Fine	Ultra-Fine	20	**0.79/Ea.**
NU022	Tan Heavy-Duty	Coarse	10	**1.35/Ea.**

PREMIUM 2 IN 1 GRINDING WHEELS

- Type 27
- Manufacturer Series: Premium 3 star 2 in 1 wheel
- Offers comfort, high stock removal and long life
- Fast removal and operator comfort
- Used in various applications
- Box of 10

NU410

Model No.	MFG No.	Size D"	x	T"	x	A"	Max RPM	Promo Price
NU410	5293	4 1/2	x	9/32	x	7/8	13300	**3.25/Ea.**
NU411	5313	5	x	9/32	x	7/8	12250	**3.59/Ea.**
NU412	5330	6	x	9/32	x	7/8	10200	**4.55/Ea.**

LONG LIFE C-TRIM FLAP DISCS

- Arbor Hole Size: 7/8"
- Abrasive Material: Zirconia Alumina
- Box of 10

NU780

Model No.	MFG No.	Grit	Diameter"	RPM	Promo Price
NU780	34239191	40	4 1/2	13300	**5.15/Ea.**
NU781	34239192	60	4 1/2	13300	**5.15/Ea.**
NU584	34239193	80	4 1/2	13300	**5.15/Ea.**
NU784	34239195	40	5	12250	**6.25/Ea.**
NU785	34239196	60	5	12250	**6.25/Ea.**
NU582	34239197	80	5	12250	**6.25/Ea.**

3M™ SILVER CUT-OFF WHEELS

- Ceramic cut-off wheel that is designed to cut quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing
- Thickness: 0.045"
- Arbor Size: 7/8"

Model No.	MFG No.	Diameter"	Max. RPM	Promo Price
TYPE 1				
NV203	AB87465	4 1/2	13300	**2.45**
NV204	AB87467	5	12250	**2.79**
NV205	AB87469	6	10200	**4.19**
TYPE 27				
NV207	AB87466	4 1/2	13300	**2.45**
NV208	AB87468	5	12250	**2.79**
NV209	AB87470	6	10200	**4.19**

JOBBER LENGTH HIGH SPEED STEEL DRILL SET

- 29-piece set
- 1/16" to 1/2" by 64ths
- Industrial duty, fractional sets
- Right hand 135° split point eliminates walking
- General purpose used on steels, cast iron, and most non-ferrous metals
- 2-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion
- Includes steel case

CLARKSON OSBORN

Model No.	MFG No.	Promo Price
WJ188	DR06228	**89.99**

SAMPLE

UTILITY GRADE DUCT TAPE

- Width: 50 mm (2")
- Colour: Silver
- Ideal for a wide variety of projects and applications
- Water resistant
- Easy to tear

PF688

Model No.	Length	Thickness Mils	Promo Price
PF689	45 m (150')	6	**3.59**
PF688	55 m (180')	9	**5.39**

LUBRICANT & INHIBITOR

- Accepted for use in Canadian food processing facilities
- Net volume: 11 oz.

LPS 1® LUBRICANT

- Dry, thin lubricating film
- Resists oil, dust and dirt build-up
- Loosens rusted or frozen parts
- Provides short term, light, corrosion resistant barrier

LPS 2® HEAVY-DUTY LUBRICANT

- Wet film
- Provides excellent lubrication and protection
- Ideal for releasing molded, rusted or frozen parts

LPS 3® HEAVY-DUTY INHIBITOR

- Provides non-sling lubrication
- Self-healing, waxy film
- Stops rust and corrosion
- Provides anti-seize coating
- Non-flammable propellant
- Protects up to two years

AA819

AA820

AA808

Model No.	MFG No.	Description	Promo Price
AA819	C30116	LPS 1® Lubricant	**13.39**
AA820	C30216	LPS 2® Lubricant	**13.09**
AA808	C30316	LPS 3® Inhibitor	**17.39**

HDX HEAVY-DUTY DEGREASER

- Low odour
- No CFC's
- Quick penetration
- No rinsing
- Net Volume: 19 oz.
- Container Size: 20 oz.
- Container Type : Aerosol can

Model No.	MFG No.	Promo Price
AA840	C01020	**10.39**

THERMAPLEX® MULTI-PURPOSE BEARING GREASE

- Excellent load carrying properties
- Prolongs bearing life
- Ideal for lubricating all types of bearings
- Blue coloured paste
- Temperature range: -22°F (-30°C) to 350°F (177°C)
- Dropping point: 429°F (220°C)
- NLGI Grade: No. 2
- Format: 400 g
- Container Type: Cartridge

Model No.	MFG No.	Promo Price
AA847	C70614	**7.39**

CD885 STAINLESS STEEL CLEANER

- Water-based emulsion
- Effectively cleans most water and oil-based stains on stainless steel and other metal surfaces
- Resists finger-prints, water marks and rusting
- USDA compliant, NSF Certified
- For kitchen equipment, drinking fountains, elevator doors and furniture
- Net Volume: 17 oz
- Container Size: 20 oz
- Container Type: Aerosol can

Model No.	MFG No.	Promo Price
AA202	SC0885000	**6.39**

QD™ CONTACT CLEANER

- Very fast evaporation rate
- Suitable for cleaning sensitive electronics and electrical equipment
- Accepted for use in Canadian food processing facilities
- Size: 312 g
- Volume: 473 ml
- Plastic safe: Yes
- Flashpoint: Less than -18°C

Model No.	MFG No.	Promo price
MLN874	72130	**16.29**

SAMPLE

VICTOR® 1-101 STYLE CUTTING TIPS

- For general cutting
- Acetylene-oxygen
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST and 1400C machine torches



Model No.	Size	Promo Price
TTU333	00	8.99
TTU334	0	8.99
TTU335	1	8.99
TTU336	2	8.99
TTU337	3	8.99
TTU338	4	8.99
TTU339	5	8.99

HARRIS® 6290 STYLE CUTTING TIPS

- For general hand cutting
- Acetylene-oxygen
- Medium preheat
- Fits Harris® 42-3, 62-3, 72, 72A, 73, 73A and 85 style torches

Model No.	Size	Promo Price
TTU459	00	8.99
TTU349	0	8.99
TTU350	1	8.99
TTU351	2	8.99
TTU352	3	8.99
TTU460	4	8.99

AIR FLUX CHIPPER & CHISELS

- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Hose diameter: 3/8" (9.5 mm)
- Average air consumption: 9 CFM
- Air Inlet: 1/4" - 18 NPT
- Vibration Less Than: 10.2 m/s²



Model No.	Description	Size (mm)	Promo Price
TLZ133	Chipper w/35 mm Flat Chisel	-	149.99
TLZ134	Flat Chisel	20	20.99
TLZ135	Flat Chisel	35	20.99
TLZ136	Moil Pointed Chisel	-	20.99

WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)



Model No.	Hose Length'	Dimensions W" x D" x H"	Promo Price
TLZ487	25	8 x 14 3/4 x 13 5/8	119.00
TLZ488	50	8 5/8 x 20 1/2 x 20 1/2	169.00

FOLD-A-JACK® HI JACKS

- 1" square tube base construction with quick-action lock washer for quick height positioning
- **V head** will handle pipes from 1/8" to 24" diameter
- **Steel roller head** will handle pipes from 1 1/4" to 24" diameter
- Capacity: 2500 lbs.
- Jack independently load tested for quality assurance
- CE rated



Model No.	MFG No.	Description	Promo Price
432-1161	781300	V Head	135.00
432-1162	781301	Steel Roller Head	185.00

MATADOR® WELDER'S PLIER

- Ideal for installing tips, nozzles and bushings, cutting and hammering
- Universal use for all wire feed guns
- Vanadium-steel construction is tough, durable
- Satin finish reduces rust



Model No.	MFG No.	Promo Price
899-1700	4705008	29.99

SAMPLE

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
- Length: 12"
- **Sold per package**

Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	**17.99/Pkg.**
NT633	3/16	50	**10.99/Pkg.**
NT634	1/4	50	**12.99/Pkg.**
NT635	5/16	50	**15.99/Pkg.**
NT636	3/8	50	**21.99/Pkg.**
NT637	1/2	50	**38.99/Pkg.**

COMMON WIRE SOLDERS

TTU891

- With some exceptions, the tin/lead solders can be used to solder copper and most copper alloys, lead, nickel alloys and steel
- Heat sources include soldering guns, irons and torch applications
- **Acid Core**: For soldering materials with poor solderability, stainless steel application
- **Rosin Core:** For electrical application
- **Tin/Antimony 95/5:** Useful for applications where moderately elevated temperatures is a factor

weldcote metals

Model No.	Description	Solidus	Liquidus	Promo Price
40% TIN/60% LEAD SOLID				
TTU888	1/16" x 1# Spool	362°F	460°F	**32.50/Spool**
TTU890	1/8" x 1# Spool	183°C	238°C	**29.50/Spool**
50% TIN/50% LEAD SOLID				
TTU891	1/16" x 1# Spool	362°F	420°F	**37.50/Spool**
TTU893	1/8" x 1# Spool	183°C	215°C	**34.50/Spool**
50% TIN/50% LEAD ACID CORE				
TTU894	1/16" x 1# Spool	362°F	420°F	**37.50/Spool**
TTU896	1/8" x 1# Spool	183°C	215°C	**34.50/Spool**
50% TIN/50% LEAD ROSIN CORE				
TTU898	3/32" x 1# Spool	362°F	420°F	**37.50/Spool**
TTU900	1/8" x 1# Spool	183°C	215°C	**34.50/Spool**
95% TIN/5% ANTIMONY SOLID				
TTU902	1/16" x 1# Spool	450°F	464°F	**62.50/Spool**
TTU904	1/8" x 1# Spool	232°C	240°C	**58.50/Spool**

FLUX PASTE NO. 5

- Format: 1 lb

Oatey®

Model No.	MFG No.	Promo Price
BP898	48423	**6.50**

AIR CARBON ARC GOUGING TORCH

- For gouging, cutting, beveling, piercing and flushing metal
- Can be used to cut virtually all metals
- Rated to 800 Amps

Model No.	Promo Price
NT667	**139.00**

MAGNETIC WELDING SQUARES

- Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding
- Holds work pieces at 45°, 90°, 135° and 180° angles

TGY625

COMPACT

- 3/4" W x 3 3/4" L x 3 3/4" H

MID-SIZE

- 3/4" W x 3 3/4" L x 4 3/8" H

TLV266

INSIDE 90°, OUTSIDE 45/90°

- 5/8" W x 5 1/2" L x 2 7/8" H

TGY627

MAG-MATE

Model No.	Description	Strength lbs.	Promo Price
TGY625	Compact	60	**12.50**
TGY627	Mid-Size	75	**24.90**
TLV266	Inside 90°, Outside 45/90°	40	**29.90**

STEPPED WEDGE & GAUGE

- Provides an accurate gap and allows for a higher quality fit-up
- Can be used for vertical and horizontal applications
- Versatile wedge can also be used as a gauge, pry and hammer
- Wedge can be clipped to any tool belt
- Material: Stainless steel

Model No.	MFG No.	Length"	Width"	Promo Price
TTV306	2130	4	3/4	**29.90**
TTV308	2132	6	1 1/2	**36.90**
TTV309	2133	8	1 3/4	**44.90**

SAMPLE

WELDER'S COWHIDE TIG GLOVES

- Premium quality grain cowhide leather construction
- Unparalleled fit and dexterity with exceptional durability
- Welted seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Lining: Unlined

Model No.	Size	Promo price
SDL992	Medium	8.60/Pair
SDL993	Large	8.80/Pair
SDL994	X-Large	9.20/Pair

WELDERS' BEANIE

- Breathable, flame resistant, 100% cotton fabric
- Added protection under welding helmet
- Black and white, 2-colour design
- One size fits all

Model No.	Promo Price
SEE845	0.86

LAVA BROWN LEATHER BIB APRONS

- Designed to allow even weight distribution on the user to reduce fatigue
- Heat and flame-resistant leather is made from durable side split cowhide

Model No.	Length"	Promo Price
TTU393	36	43.50
TTU394	42	47.95
TTU395	48	55.95

FLAME RETARDANT JACKETS

- Flame-retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jackets with inside pocket and five snaps

Model No.	Size	Chest Measurements"	Promo Price
TTU998	Medium	40-42	35.50
TTU999	Large	44-46	35.50
TTV001	X-Large	48-50	35.50
TTV002	2X-Large	52-54	38.95
TTV003	3X-Large	56-58	42.50

WELDING KNEE PADS

- Closure Type: Hook and Loop
- Pad Type: Foam
- Cap Material: Leather

Model No.	MFG No.	Promo Price
SM777	6991-01Q	56.95

PRO™ WELDERS HARNESSES

SEJ400

- Heat and flame resistant webbing made from modacrylic over Kevlar® and polyester
- Lightweight design
- Char temperature: 700°F
- 420-lb. user weight capacity (including tools and equipment)
- Medium/Large
- Certified to CSA standard Z259.10

Model No.	Leg Connections	D-Rings	CSA Class	Promo Price
SEJ400	Pass-Thru	Back	A	144.00
SEJ409	Tongue Buckle	Back	A	133.00
SEJ415	Tongue Buckle	Back, Front, Shoulder	A,D,E	147.00

SAMPLE

ANTI-SKID TAPES

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Length: 60'
- Width: 2"

ZENITH Safety Products

Model No.	Colour	Promo Price
SDN088	Red/White	**26.30**
SDN089	Black/Yellow	**26.30**
SDN090	Yellow	**27.00**
SDN091	Red	**27.00**

NATURAL RUBBER LATEX COATED GLOVES

- 13-gauge seamless knitted polyester shell provides a comfortable fit
- Resists abrasion, cuts and punctures
- Crinkle finish coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove
- Lining: Unlined

SFM541

ZENITH Safety Products

Model No.	Size	Promo Price
SFM541	Small (7)	**1.10/Pair**
SFM542	Medium (8)	**1.10/Pair**
SFM543	Large (9)	**1.10/Pair**
SFM544	X-Large (10)	**1.10/Pair**

FAUCET-MOUNT EYEWASH STATION

- Cost effective solution for applications with an existing faucet
- Includes a safety sign and inspection tag
- Mounts to standard or gooseneck type faucets
- One-step activation
- Twin spray heads include a flow control and pop-off dust covers
- Standard(s) Met: ANSI Z358.1

Bradley

Model No.	MFG No.	Promo Price
SAK621	S19-200B	**89.95**

N95 FLAT FOLD RESPIRATORS

- 3-panel respirator
- Soft, comfortable nose clip
- Lightweight, collapse-resistant design
- NIOSH approved N95

SR616

SEJ983

3M

Model No.	MFG No.	Description	Qty /Box	Promo Price
SEJ983	9210+	Without Valve	20	**27.10/Box**
SR616	9211+	With Valve	10	**22.95/Box**

DRUMS-UP™ TRAYS

- Catches liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Drain hole makes emptying easy

Drum not included

DA104

ENPAC

Model No.	MFG No.	Dimensions Dia." x H"	Sump Capacity US Gallons	Promo Price
DA104	8091-YE	37 1/2 x 7 1/2	20	**106.00**
SD361	8200-YE	22 3/4 x 7 1/2	7 1/2	**79.00**

TYPE I SAFETY CANS W/FUNNEL

- Stainless steel flame arrester
- Large ID zone
- Leakproof, self-closing lid controls vapours and spills
- FM approved, UL/ULC listed

SEA213

JUSTRITE®

Model No.	Dimensions Out. Dia." x Height"	Capacity US Gallons	Promo Price
SEA240	9 1/2 x 11	1	**52.50**
SEA204	9 1/2 x 13 3/4	2	**53.30**
SEA208	11 3/4 x 11 1/2	2.5	**61.50**
SEA213	11 3/4 x 16 7/8	5	**63.50**

SAMPLE

5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

Model No.	Size	Promo Price
SEF097	Medium	14.95
SEF098	Large	14.95
SEF099	X-Large	14.95
SEF100	2X-Large	14.95

TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size	Promo Price
SEF117	Medium	9.95
SEF118	Large	9.95
SEF119	X-Large	9.95
SEF120	2X-Large	9.95
SEF121	3X-Large	9.95

TRAFFIC CONES

SEH138

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Orange

Model No.	Height"	Promo Price
SEH138	18	9.50
SDP595	28	12.95

TRAFFIC CONES W/COLLAR

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

SEF028

Model No.	Description	Wt. lbs.	Promo Price
SEF026*	18" w/6" Collar	3.15	12.35
SEF027**	28" w/4" Collar	6.75	16.45
SEF028*	28" w/4" & 6" Collars	6.75	19.95

*QC, ON, AB **ON, AB

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)
- 11" W x 2" H

SEH142

Model No.	Length	Spikes Required	Wt. lbs.	Promo Price
SEH142	4'	5	35	73.50
SEH143	6'	4	55	103.00
REBAR SPIKE				
SEH144	14"	-	-	4.10

BARRICADE TAPE

SEK400

SEK402

- Warns against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor use
- Made of polyethylene
- 3" x 1000'
- Grade: Heavy-Duty
- Thickness: 2 mils

Model No.	Message	Colour	Promo Price
SEK400	Caution	Black on Yellow	11.90
SEK401	« Attention »	Black on Yellow	11.90
SEK402	Danger	Black on Red	11.90

SAMPLE

CHILL-ITS® 6710CT COOLING TRIANGLE HATS

- Advanced PVA material keeps you cool without the bulk
- Activates quickly and easily when run under water for 1 minute
- Evaporative cooling process keeps you cool all day
- Lightweight and low profile for use with hard hats and helmets
- Reusable, just re-soak

SEC685

Model No.	MFG No.	Colour	Promo Price
SEC685	12586	Lime	**10.95**
SEC686	12587	Blue	**10.95**
SEI649	12582	Green Camo	**10.95**
SEI650	12583	Red Western	**10.95**
SEI651	12584	Blue Western	**10.95**
SEI652	12588	Flames	**10.95**

CHILL-ITS® 6710 COOLING TRIANGLE HATS

SAP941

- Non-toxic, super-absorbent acrylic polymers expand and absorb just enough water to provide a cooling sensation for up to four hours
- Soak in cold water 2-5 minutes to activate
- Reusable, just re-soak
- Tie closure for personal fit

Model No.	MFG No.	Colour	Promo Price
SAP942	12326	Navy Western	**5.25**
SAP941	12325	Red Western	**5.25**
SEC860	12327	Blue	**5.25**

CHILL-ITS® 6665 COOLING VESTS

- V-neck with zipper closure
- Water-repellent liner
- Lime yellow

Model No.	MFG No.	Size	Promo Price
SAP936	12533	Medium	**49.95**
SAP937	12534	Large	**49.95**
SAP938	12535	X-Large	**49.95**
SAP939	12536	2X-Large	**49.95**

SQWINCHER® LIQUID CONCENTRATE

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons

SR933

Model No.	MFG No.	Flavour	Promo Price
SAF862	11025	Grape	**23.85**
SAP552	11027	Mixed Berry	**23.85**
SR933	11020	Lemonade	**23.85**
SR934	11021	Orange	**23.85**
SR935	11022	Fruit Punch	**23.85**
SR936	11023	Lemon-Lime	**23.85**
SR937	11024	Tropical Cooler	**23.85**

SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag

Model No.	MFG No.	Flavour	Promo Price
SAN505	11060100-OR	Orange	**39.95/Bag**
SAN506	11060102-FP	Fruit Punch	**39.95/Bag**
SEI282	11060453-SL	Strawberry Lemonade	**39.95/Bag**
SAP496	11060101-MB	Mixed Berry	**39.95/Bag**

SQWINCHER® SQWEEZE FREEZER POPS

- Freeze the Sqweeze and enjoy the refreshing taste of flavoured ice while replenishing your electrolytes
- Contains an assortment of orange, grape, lemon-lime, cherry and mixed berry flavours
- 150 assorted 3-oz. individual packages per box

Model No.	MFG No.	Promo Price
SAM804	11130	**96.00/Box**

SAMPLE

20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 1/5 HP, 120 V/60 Hz motor
- All-metal construction
- Adjustable pedestal height
- 6' SJT type power cord
- CFM: 5950/4550/3850
- Tilting head

Model No.	Promo Price
EA289	169.00

HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
- Rotating or fixed air direction
- Diameter: 20"
- No. of Speeds: 3

Model No.	Promo Price
EA660	135.00

LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Adjustable height and heavy-duty base for added stability
- 6' SJT type power cord

EA282

Model No.	Diameter"	HP	CFM High	CFM Low	Promo Price
EA282	26	1/4	7525	4050	255.00
EA283	30	1/3	8778	6780	270.00

FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
- 3-prong plug with ground industrial wire
- Rotates up for vertical airflow
- Chrome finish



EA290

Model No.	Diameter"	CFM High	CFM Med	CFM Low	Promo Price
EA528	16	2370	1950	1560	85.50
EA290	18	4725	3850	2975	99.00



24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- CFM: 10 760/7770/7040

Model No.	Promo Price
EA476	265.00

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- HP: 3/4
- Max. CFM: 20 945
- Fully enclosed motor
- All-metal construction
- 12' power cord
- Diameter: 42"
- No. of Speeds: 2

Model No.	Promo Price
EA662	685.00

Pricing in effect until June 29, 2018 or while quantities last. Taxes and freight extra. Issue #SDW7052NA
Prices are subject to change, and may vary without prior notice.

SAMPLE