


# SHOP ESSENTIALS PROMOTION!

## WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF(F)



**aurora tools**

Model No.	Hose Length'	W"	Dimensions x D" x H"	Promo Price
TLZ487	25	8	x 14 3/4 x 13 5/8	119.00
TLZ488	50	8 5/8	x 20 1/2 x 20 1/2	189.00

## METALMASTER® COMPOUND SNIPS

- Non-slip serrated jaws
- Length: 9 3/4"
- 18-gauge steel

**Wiss®**



VQ280

Model No.	MFG No.	Cut Length"	Grip Colour	Promo Price
<b>CUT RIGHT</b>				
VQ281	M2R	1 3/8	Green	19.95
<b>CUT STRAIGHT</b>				
VQ282	M3R	1 1/2	Yellow	19.95
<b>CUT LEFT &amp; STRAIGHT</b>				
VQ280	M1R	1 1/4	Red	23.95

## UTILITY CART

- Four drawers
- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- 33" W x 18" D x 39" H
- 75-lb. drawer capacity
- 400-lb. unit capacity
- High-gloss powder coat scratch-resistant black paint
- Weight: 100 lbs.



**aurora tools**

Model No.	Promo Price
TEP483	475.00



## JACKSON SAFETY\* WH40 ELEMENT\* WELDING HELMET

- Lightweight shell weighs only 6 oz.
- Variable auto-darkening filter shade 9-13
  - Two independent arc sensors
    - Solar-powered unit
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3



**Kimberly-Clark**  
PROFESSIONAL

Model No.	MFG No.	Promo Price
SEA769	23282	80.95

Pricing in effect until April 14, 2017 or while quantities last. Taxes and freight extra. Issue #SDW7001NA  
Prices are subject to change, and may vary without prior notice.

## CABLE CUTTER

- High-leverage jaws with shear-cut blades
- Cuts up to: 4/0 aluminum cable (not ACSR), 2/0 soft copper cable
- Plastic covered, non-slip grips
- Overall length: 9 1/2"



## H.K. Porter®

Model No.	MFG No.	Promo Price
TBG092	0890CSJ	39.50

## STANDARD-DUTY BAR CLAMPS

- Widely used in welding and fabricating shops
- Throat depth: 4"
- Clamping force: 660 lbs.



TKZ890

Model No.	MFG No.	Clamping Capacity"	Promo Price
TKZ890	660-S8	8	52.50
TKZ891	660-S12	12	53.50
TKZ892	660-S18	18	54.50

## TUNGSTEN CARBIDE SCRIBER & MAGNET

- Durable tungsten carbide point makes precise marks to 1/100"
- End cap magnet picks up stray metal shavings
- The point to be reversed for safe storage in pocket or toolbox
- 5 7/16" long



Model No.	MFG No.	Promo Price
TV176	031116	12.95

## 7-PC. MACHINIST FILE SET

- General purpose file kit for machine shop
- Roll-up holder protects files
- Includes:
  - 10"/250 mm flat bastard file
  - 10"/250 mm flat smooth file
  - 10"/250 mm half-round bastard file
  - 10"/250 mm mill bastard file
  - 10"/250 mm round bastard file
  - 10"/250 mm square bastard file
  - 7"/175 mm slim taper file



## Nicholson®

Model No.	MFG No.	Promo Price
TBG943	22024NN	92.50/Set

## AUTOLOCK MEASURING TAPES

- High visibility with rubber comfort grip
  - Automatic blade lock
  - Recessed lock release
  - TLZ075 comes with magnetic end hook



TJZ389



Model No.	MFG No.	Blade	Graduations	Promo Price
TJZ389	AL725	1" x 25'	in/ft.	9.95
TJZ388	AL748CME	1" x 26'8 m	in/cm	9.95
TLZ075	AL725MAG	1" x 25'	in/ft.	15.95

## TORPEDO LEVELS W/MAGNETIC BASE

- Oversized solid aluminum base
  - V-grooved base for surface leveling and tubular work
  - TLV298 allows to read slope in 1/8" increments

TLV297



TLV298



Model No.	Description	Length"	Promo Price
TLV297	Read Plumb, Level and 45°	10	23.95
TLV298	Read Plumb, Level, Multi-Pitch and 45°	12	25.95

## MULTI-PURPOSE BENCH SWIVEL VISE

- Heavy-duty casting for demanding applications
- Rotating head for gripping at any angle
- Permanent pipe jaws hold round objects
- Jaw width: 5"
- Jaw opening: 5 1/5"
- Throat depth: 3 1/10"




**aurora tools®**

Model No.	Promo Price
TYL102	228.00

## DEAD BLOW HAMMERS

- 1-piece urethane construction
- Completely enclosed steel shank
- Shot-filled head
- High-visibility orange colour



TJZ035

**aurora tools®**

Model No.	Head Wt. oz.	Promo Price
TJZ035	8	13.95
TJZ036	16	14.95
TJZ037	24	16.95
TJZ038	32	19.95

## 3-PC. CUTTING PLIER SET

- Precision jaws provide uniform cuts
- Black nickel finish resists rust
- Meets ANSI standards
- Includes: 5", 6" and 7" cutting pliers



**aurora tools®**

Model No.	Promo Price
TLZ789	23.95

## BOLT CUTTERS

- Chrome molybdenum steel jaws
- Centre cutting blades
- Adjusting screws allow for easy and perfect alignment of jaws
- Strong tubular handle with slip-proof rubber grips




**aurora tools®**

Model No.	Length"	Max. Jaw Opening"	Promo Price
TJZ113	24	3/8	39.95
TJZ114	36	9/16	69.95

## LOCKING PLIERS

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Steel grip
- Meets ANSI standards



TJZ096

TJZ097

TJZ099

TJZ098

**aurora tools®**

Model No.	Length"	Promo Price
<b>C-CLAMPS W/SWIVEL PADS</b>		
TJZ096	6	9.95
TJZ097	11	17.95
<b>LOCKING WELDING CLAMP</b>		
TJZ098	9	18.95
<b>LOCKING SHEET METAL TOOL</b>		
TJZ099	8	14.95

## C-CLAMPS

- Manufactured from SG iron
- Large swiveling pad adapts to the correct angle
- Textured powder coat finish on frame and black oxide on spindle



TYB504

**aurora tools®**

Model No.	Clamping Capacity"	Throat Depth"	Min. Proof Test lbs.	Promo Price
TYB504	4	2 11/32	1200	21.95
TYB505	6	3	1400	27.95
TYB506	8	3 1/8	1700	36.95
TYB507	10	3 1/2	2200	48.95



## 1/4" AIR SCREWDRIVER

- 1/4"-18 NPT air inlet, 6 CFM
- 1800 RPM; 0.5 HP
- Torque range: 45-115 ft.-lbs.
- 3/8" hose size



**aurora tools®**

Model No.	Promo Price
TLV495	112.00

## 1/4" STUBBY TYPE AIR RATCHET WRENCH

- Paddle-style trigger provides better speed control
- 230 RPM
- 30 ft.-lbs. of torque
- 1/4"-18 NPT air inlet, 3 CFM
- 5/16" hose size




**aurora tools®**

Model No.	Promo Price
TLZ140	99.00

## AIR FLUX CHIPPER & SCALER

- Lightweight compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Stroke: 1-1/2" (38 mm)
- Hose Diameter: 3/8" (9.5 mm)
- Average Air Consumption: 9 CFM
- Air Inlet: 1/4" - 18 NPT
- Vibration Less Than: 10.2 m/s<sup>2</sup>



**aurora tools®**

Model No.	Description	Includes	Promo Price
TLZ133	Chipper	35 mm Flat Chisel	169.00
TLZ131	Scaler	19 Needles	189.00

## HEAVY-DUTY AIR COMPOSITE IMPACT WRENCHES

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch and high-low speed regulator
- Free Speed: 10000 RPM
- Hose Diameter: 3/8" (9.5 mm)
- Air Inlet: 1/4" - 18 NPT



**aurora tools®**

Model No.	Square Drive"	Average Air Consumption CFM	Torque Range ft.-lbs.	Promo Price
TLZ137	3/8	10.6	90-280	199.00
TLZ138	1/2	13.7	400-1000	259.00

## DUAL-ACTION ORBITAL SANDERS

- 1/4"-18 NPT air inlet, 9 CFM
- 10000 RPM; 0.35 HP
- 3/8" hose size
- Low vibration for swirl-free finishes
- Non-vacuum model



**aurora tools®**

Model No.	Diameter"	Promo Price
TLZ142	5	179.00
TLZ143	6	179.00

## 5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



**aurora tools®**

Model No.	Promo Price
THZ674	149.00



## 5-PC. BLOW GUN KIT

- Chrome-plated
- Large hanging hook
- 1/4" (F) - 18 NPT air inlet
- Contoured design fits comfortably in operator's hand
- Includes four tips: Safety, rubber, needle and long needle



**aurora tools®**

Model No.	Promo Price
TLZ147	9.95

## 5-PC. 1/4" PLUG QUICK COUPLER KIT

- Includes:
  - (1) 1/4" Quick coupler
  - (1) 1/4" Female plug
  - (3) 1/4" Male plugs



**aurora tools®**

Model No.	Promo Price
TLZ148	11.85/Kit

## ENGRAVER KIT

- Engraving depth adjusts for fine or deep grooves
- Soft grip for comfort and control
  - Includes: Letter/number template and a carbide point



**DREMEL®**

Model No.	MFG No.	Promo Price
TF191	290-01	31.50

## BLOW GUN W/SAFETY NOZZLE

- 1/4"(F)-18 NPT air inlet
- Brass tip increases air flow
- Contoured design fits comfortably in operator's hand



**aurora tools®**

Model No.	Promo Price
TLV118	9.49

## NYLON COIL AIR HOSES W/FITTINGS

- Light and easy to handle
- High impact and abrasion resistance
- Excellent elastic memory, can be stretched repeatedly yet return to original shape for convenient storage
- High visibility yellow



**aurora tools®**

Model No.	NPT (M)"	Length'	Hose Inside Diameter"	Max. Working Pressure PSI	Promo Price
TLZ150	1/4	25	1/4	200	8.95
TLZ151	1/4	50	1/4	200	13.95
TLZ152	3/8	25	3/8	300	15.75
TLZ153	3/8	50	3/8	300	23.95

## GUN-VAC VACUUM UNIT

- Filtration: High Filtration
- Type: Air
- The most powerful pneumatic Gun-Vac available and it handles like a blow gun
- Vacuums metal chips, debris, sawdust, pellets, trimmings and crumbs instead of blowing them
- Comes complete with 9" crevice tool
- Tapered vacuum inlet accepts all standard 1 1/4" vac accessories



**GUARDAIR®**

Model No.	MFG No.	Promo Price
TB155	1500	149.00

## UTILITY BOXES

TEP498



- Heavy gauge steel construction
- Fully welded seams provide maximum strength
- Side handles facilitate transportation
- Diamond plate finish
- Black powder coat finish

**aurora tools**

Model No.	Dimensions L" x W" x H"	Wt. lbs.	Promo Price
TEP498	31 x 13 1/2 x 10	15	89.90
TEP499	45 x 15 x 15	35	189.00

## PLASTIC TOOL BOXES

- Polyurethane portables with new design features provide additional strength
- Colour: Black

TEP473



TEP471

Model No.	MFG No.	O.A. Dimensions W" x D" x H"	Promo Price
TEP471	PP-2314BK	23 x 10-1/2 x 13-1/2	71.90
TEP473	PP-2610BK	26 x 10-1/2 x 10	37.50
TEP477	PP-1406BK	14 x 7-1/2 x 6-1/4	14.25

## MOBILE SERVICE BENCHES

- 16-gauge all-welded steel construction with laminated hardwood top
- Four 5" non-marking casters, two rigid, two swivel with brake
- O.A. dimensions: 42" W x 24" D x 37" H
- Capacity: 1200 lbs. evenly distributed



ML327



Model No.	Description	Wt. lbs.	Promo Price
ML326	1 Drawer/1 Door	190	999.00
ML325	2 Doors	235	1099.00
ML327	4 Drawers/1 Door	275	1249.00
ML328	8 Drawers	300	1399.00

## JOBSITE SHELF CABINETS

TEP170



- Site-Vault™ security system
- Ez-Loader® anti-tip skid bolsters
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot-operated latch release system
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door



TEP168

**JOBOX**


Model No.	MFG No.	Dimensions L" x W" x H"	Wt. lbs.	Promo Price
<b>2 DOORS, 24" DEEP</b>				
TEP168	1-694990	60 1/8 x 24 1/4 x 60 3/4	379	1549.00
<b>2 DOORS, TALL CLOSET ON RIGHT SIDE</b>				
TEP170	1-697990	60 1/8 x 24 1/4 x 60 3/4	366	1699.00

## ROLLING TOOL CARTS

- Ball bearing drawers
- Heavy-duty steel construction
- Weather-resistant textured finish paint
- Secure, tubular coded locking system
- Black



TEP641



TEP647

Model No.	O.A. Dimensions L" x W" x H"	No. of Drawers	Promo Price
TEP641	30 3/4 x 18 1/4 x 40 3/4	5	799.00
TEP647	41 x 18 x 41 1/2	11	1149.00
TEP649	41 x 24 x 40 1/2	11	1579.00

## HEAVY-DUTY JOBSITE CHESTS

- Site-Vault™ security system
- Ez-Loader® 7-gauge skid bolsters allow fork lift from any side
- Grip-Rite™ recessed lifting channel
- Heavily reinforced lid and body
- Textured powder paint finish




TEP092

**JOBOX**

Model No.	MFG No.	Dimensions L" x W" x H"	Wt. lbs.	Promo Price
TEP092	1-652990	36 x 20 x 23 3/4	98	439.00
TEP136	1-653990	42 x 20 x 23 3/4	118	489.00
TEP137	1-654990	48 x 24 x 27 3/4	148	549.00
TEP156	1-655990D	60 x 24 x 27 3/4	182	689.00
TEP158	1-658990	72 x 24 x 27 3/4	220	779.00

## VERTICAL SHEET RACK

- All-welded steel construction, 1 1/4" O.D. round tube dividers
- Two 27" H uprights, two 36" H uprights and one 42" H upright
- Overall dim.: 36" x 48" x 43 1/2"
- 750-lb. capacity per bay; total of 3000 lbs.
- Durable Kleton blue enamel finish



**Model No.** **Promo Price**


**RN014** **359.00**

CF450



## BULK STACKING CONTAINERS

- Heavy-duty all-welded construction
  - Mesh containers use 2" x 2" x 10 gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
  - 2" x 2" x 3/16" angle posts
    - 4-way fork truck entry with 4" under-clearance
    - 34 1/2" W x 40 1/2" L
      - Height: 24" inside, 30" overall
  - Stackable up to 5 high
    - Capacity: 3000 lbs. evenly distributed



CF449



**Model No.** **Description** **Promo Price**

**CF449** Fully Enclosed **319.00**  
**CF450** One Drop Gate **379.00**

## GAS CYLINDER CABINET

- All-welded
- Weight: 85 lbs.
- 14-gauge checker plate shelves and roof
- 2" x 2" 10-gauge formed steel angle posts
- Overall dim.: 17" W x 17" D x 69" H
- Colour: Yellow
- No. of Cylinders: 2

**Note:** Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code.



**Model No.** **Promo Price**

**SEB838** **466.00**



## BOLTLESS STEEL SHELVING UNIT

- Doors Included: No
- Colour: Light Grey
- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- Kit Type: Starter
- No. of Shelves: 7
- Shelf Capacity: 630 lbs. evenly distributed
- Material: Steel
- Overall dim.: 36" W x 18" D x 76" H



**METALWARE**  
STEEL SHELVING corporation

**Model No.** **Promo Price**

**RK225** **296.00**

## HI-BOY STORAGE CABINETS

- All-welded
- 22-gauge steel cabinet and shelves
  - 36" W x 18" D x 72" H
  - Shelf capacity: 150 lbs. evenly distributed
- **Includes:** Four fully adjustable shelves, recessed handle and cylinder lock



FJ856

**ALB**  
PLUS

**Model No.** **MFG No.** **Colour** **Promo Price**

**FJ856** 4-183672-HB-33 Charcoal **385.00**  
**FJ859** 4-183672-HB-11 Black **385.00**

## THREADED ROD RACK

- Eighteen 2 1/8" dia. openings
- Overall dim.: 24 1/8" W x 6 7/8" D x 24" H
- Weight: 16 lbs.
- Powder coat grey finish



**DURHAM MFG**  
Est. 1922

**Model No.** **MFG No.** **Promo Price**

**CB578** 367-95 **84.95**



**PRODUCTS CAN BE CUSTOMIZED TO MEET YOUR SPECIFIC NEEDS**



## HAND PADS

- Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- May be used with water or chemical solvents
- 6" x 9"

NU023

NU022

**aurora tools**

Model No.	Description	Finish	Qty /Box	Promo Price
NU023	Green Industrial	Scouring	20	0.69/Ea.
NU024	Maroon General Purpose	Medium	20	0.69/Ea.
NU025	Grey Ultra Fine	Ultra-Fine	20	0.79/Ea.
NU026	White Non-Abrasive	Non-Abrasive	20	0.89/Ea.
NU022	Tan Heavy-Duty	Coarse	10	1.59/Ea.

## THINCUT CUT-OFF WHEELS



- Type 1
- Manufacturer Series: Premium 3 star 2 in 1 wheel
- Superior comfort and performance
  - Offers a fast, cool and burr free cut
- Free cutting reduces workload and increases productivity
  - Box of 50

**TYROLIT**

Model No.	MFG No.	D" x T" x A"	Max RPM	Promo Price
NU404	384142	4 1/2 x 3/64 x 7/8	13300	2.49/Ea.
NU405	384143	5 x 3/64 x 7/8	12250	2.59/Ea.

## PREMIUM 2 IN 1 GRINDING WHEELS

- Type 27
- Manufacturer Series: Premium 3 star 2 in 1 wheel
- Offers comfort, highstock removal and long life
- Fast removal and operator comfort
- Used in various applications
- Box of 10



**TYROLIT**

Model No.	MFG No.	D" x T" x A"	Max RPM	Promo Price
NU410	5293	4 1/2 x 9/32 x 7/8	13300	3.09/Ea.
NU411	5313	5 x 9/32 x 7/8	12250	3.49/Ea.
NU412	5330	6 x 9/32 x 7/8	10200	4.29/Ea.

## ECONOMY KNOT WIRE END BRUSH



- An economic alternative to the high-value Osborn® brand
  - Geared toward light industrial and DIY users
- Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
  - Standard arbor sizes or shanks
  - Max. RPM: 20000
  - Stem Dia.: 1/4"

**CLARKSON OSBORN**

Model No.	MFG No.	Brush Dia."	Fill Dia."	Type	Promo Price
NU110	99099	3/4	0.02	Steel	5.45
NU113	99102	1	0.02	Steel	6.12
NU112	99101	1	0.014	Steel	6.52
NU109	99098	3/4	0.014	Steel	7.72
NU111	99100	1	0.012	Steel	8.79
NU114	99103	1	0.014	Stainless	14.92

## ECONOMY HIGH SPEED STRINGER BEAD KNOT WIRE WHEEL BRUSH

- An economic alternative to the high-value Osborn® brand
- Geared toward light industrial and DIY users
- Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
- Standard arbor sizes or shanks
- Max. RPM: 12000
- Arbor Hole": 5/8-11
- Fill Dia.: 0.02



**CLARKSON OSBORN**

Model No.	MFG No.	Brush Dia."	Type	Face Width"	Promo Price
NU105	99083	5	Steel	3/16	15.89
NU107	99084	6	Steel	1/4	12.25
NU108	99086	6 1/2	Steel	3/16	13.19
NU106	99089	6	Stainless	1/4	35.32

## 29-PC. HSS MAINTENANCE DRILL SET

- Maintenance duty
- Right hand, 118° point
- General purpose used on steels, cast iron and most non-ferrous metals
- Machine and portable drilling applications
- 1/16" to 1/2" by 64ths



**CLARKSON OSBORN**

Model No.	MFG No.	Promo Price
QF420	ZD16829	49.99



## WD-40® SPECIALIST™ WHITE LITHIUM GREASE

- Sprays on evenly as a liquid and sets dry for a thick, protective coating that won't run off
  - Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion
    - Won't freeze, melt or run off
    - Size: 311 g
- Container Type: Aerosol can



Model No.	MFG No.	Promo Price
AF173	01080	7.49

## SCOTCH® SUPER 88 TAPE

- All weather, premium grade vinyl tape for primary insulation up to 600 V or protective jacketing for low/medium voltage cable splices
- Aggressive adhesive and elastic backing ensures easy conformation to irregular surfaces for moisture tight electrical and mechanical protection
- Will perform in a continuous temperature environment up to 220°F (105°C)
- Conformable for cold weather applications: 0°F (-18°C)
- UL and CSA approved
- Size: 3/4" W x 66' L
- Thickness: 8.5 mils
- Colour: Black
- Rolls/Case: 100



Model No.	MFG No.	Promo Price
PC694	SUPER88-3/4X66	8.29/Roll

## 2929 UTILITY DUCT TAPE

- Utility grade, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive
  - 2" x 150' (48 mm x 45.7 m)
    - 6.0-mil thick
  - Rolls/Case: 24



Model No.	MFG No.	Promo Price
PE464	2929-48X50	5.39/Roll

## HEAVY DUTY DEGREASER

- A versatile cleaner/degreaser that is extremely effective in most heavy duty applications
- Aggressively dissolves grease, oil and sludge for more efficient operation of mechanical equipment
- Accepted for use in Canadian food processing facilities
- Volume: 591 ml
- Appearance: Colourless Liquid
- Base Type: Chlorinated
- Plastic Safe: No
- Flashpoint : None
- Evaporation Rate: Fast
- Size: 539 g
- Container Type: Aerosol can



Model No.	MFG No.	Promo Price
YA184	73095	10.99

## QD™ CONTACT CLEANER

- Plastic safe: Yes
- Flashpoint: Less than -18°C
- Very fast evaporation rate
- Suitable for cleaning sensitive electronics and electrical equipment
  - Accepted for use in Canadian food processing facilities
    - Size: 312 g



Model No.	MFG No.	Promo Price
MLN874	72130	16.99

## CD885 STAINLESS STEEL CLEANER

- Water-based emulsion
- Effectively cleans most water and oil-based stains on stainless steel and other metal surfaces
- Resists finger-prints, water marks and rusting
- USDA compliant, NSF Certified
- For kitchen equipment, drinking fountains, elevator doors and furniture
- Net Volume: 17 oz
- Container Size: 20 oz
- Container Type: Aerosol can



Model No.	MFG No.	Promo Price
AA202	C00885000	5.99

## PORTASOL™ ECONOMICAL BUTANE SOLDERING IRON KIT

Weller®

- Self-igniting portable butane heat tool can solder, cut rope and perform other open flame operations
- Allows anti-static soldering, ideal for electronics, avionics, cellular communications, alarm systems, marine and automotive
- Rugged stainless steel body
- Runs up to two hours on single refill
- **BW163 Includes:** Iron, sponge, stand, and extra tips



Model No.	MFG No.	Description	Promo Price
BW163	PSI100K	Iron Kit	139.00
BW164	WB1C	Premium Butane	6.25



## FLINT LIGHTERS

- Choice of single or tri-flint lighters
- Additional flints sold separately

NT663



NT642



TTU071

TTU072



Model No.	Description	Promo Price
NT642	Single Flint Lighter	2.15
NT663	Flints, 5 per Holder	1.50
TTU071	Tri-Flint Lighter	2.75
TTU072	Flints - Each	0.79

## GENERAL PURPOSE PASTE SOLDERING FLUX

- Excellent flux for joining copper to copper, and copper to brass
- Not recommended for electrical or electronic applications
- Effective to 700°F
- Meets Fed. Spec. 0-F 506C, Type 1, Form A and MIL-S-6872A

weldcote  
metals



Model No.	MFG No.	Size oz.	Promo Price
TTU918	PASTEFLUX4OZ	4	7.60
TTU919	PASTEFLUX16OZ	16	10.90

## MULTI-USE PROPANE TORCH

- Adjustable flame
- Trigger start
- Style: No Cutting Tip
- Head Angle: 42° - 43°
- Length: 1-29/32"

TTV240



BERNZOMATIC

TTU687



Model No.	MFG No.	Description	Promo Price
TTV240	TS3500T	Torch	54.50
TTU686	304184	14.1-oz. Propane Cylinder	8.99
TTU687	332478	14.1-oz. MAP-Pro™ Gas Cylinder	14.49

weldcote  
metals

## COMMON WIRE SOLDERS

- With some exceptions, the tin/lead solders can be used to solder copper and most copper alloys, lead, nickel alloys and steel
  - Heat sources include soldering guns, irons and torch applications
- **Acid Core:** For soldering materials with poor solderability, stainless steel application
- **Rosin Core:** For electrical application
  - **Tin/Antimony 95/5:** Useful for applications where moderately elevated temperatures is a factor



TTU891

Model No.	Description	Solidus	Liquidus	Promo Price
<b>40% TIN/60% LEAD SOLID PLEIN</b>				
TTU888	1/16" x 1# Spool	362°F	460°F	32.50/Spool
TTU890	1/8" x 1# Spool	183°C	238°C	29.50/Spool
<b>50% TIN/50% LEAD SOLID</b>				
TTU891	1/16" x 1# Spool	362°F	420°F	37.50/Spool
TTU893	1/8" x 1# Spool	183°C	215°C	34.50/Spool
<b>50% TIN/50% LEAD ACID CORE</b>				
TTU894	1/16" x 1# Spool	362°F	420°F	37.90/Spool
TTU896	1/8" x 1# Spool	183°C	215°C	34.50/Spool
<b>50% TIN/50% LEAD ROSIN CORE</b>				
TTU898	3/32" x 1# Spool	362°F	420°F	37.90/Spool
TTU900	1/8" x 1# Spool	183°C	215°C	34.50/Spool
<b>95% TIN/5% ANTIMONY SOLID</b>				
TTU902	1/16" x 1# Spool	450°F	464°F	61.90/Spool
TTU904	1/8" x 1# Spool	232°C	240°C	58.50/Spool

## AL-BRAZE EC ALUMINUM BRAZING FLUX

- Size: 8 oz.
- Powdered flux is recommended to use with 4047 (formerly 718) brazing alloy and other aluminum brazing alloys
- May be mixed with water or alcohol to form a paste
- Meets specs AMS 3412, AWS A5.31 Type FB1A
- Container Type: Jar



Model No.	MFG No.	Promo Price
841-1137	ECDF1/2	11.90





## TOUGHFLEX™ WELDING CABLE

- Durable and flexible
- Highly flexible annealed 30 (0.010) gauge bare copper conductor, insulated with an EPDM jacket and paper separator
- Durable jacket resists cuts, tears, abrasion, grease, oil, water and flame
- Operating temperature range: -50°C to 105°C (-58°F to 221°F)
- Rated to 600 V
- Ideal for any welding application that requires leads, grounds, and stinger/whips
- Custom lengths and jacket colours available upon request



## KALAS

Model No.	MFG No.	Gauge	Promo Price
<b>50' BOXED</b>			
TTV136	02T1050B0000	#2	88.40/Box
TTV137	01T1050B0000	#1	112.00/Box
TTV138	10T1050B0000	1/0	139.00/Box
TTV139	20T1050B0000	2/0	169.00/Box
<b>100' BOXED</b>			
TTV144	02T1100B0000	#2	177.00/Box
TTV145	01T1100B0000	#1	225.00/Box
TTV146	10T1100B0000	1/0	279.00/Box
TTV147	20T1100B0000	2/0	339.00/Box

## MAGNETIC WELDING SQUARES

- Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding
- Holds work pieces at 45°, 90°, 135° and 180° angles



TGY625



TGY627



TLV266

### COMPACT

- 3/4" W x 3-3/4" L x 3-3/4" H

### MID-SIZE

- 3/4" W x 3-3/4" L x 4-3/8" H

### INSIDE 90°, OUTSIDE 45/90°

- 5/8" W x 5-1/2" L x 2-7/8" H



## HAMMER-ON LUGS

- Manufactured from heavy wall cast copper alloy, annealed for maximum conductivity
- Fast, easy installation, just slide into cable and strike it with hammer for durable connection



NT604

Model No.	Cable Size	Promo Price
NT606	1 - 4	6.50
NT605	1/0 - 2/0	7.00
NT604	3/0 - 4/0	10.50



NT668

## HEAVY-DUTY GROUND CLAMPS

- Nickel-plated steel
- Forged brass conductors and braided copper strap
- Heavy-duty spring provides positive contact at jaws
- Includes Allen wrench

Model No.	Amps	Promo Price
NT668	300	12.95
NT669	500	15.25

## ATLAS LONG-NEK TOMAHAWKS®

- Head Length: 7.75"
- "Fit-the-hand" hickory handle
- Deep neck steel head design offers 50% greater handle support and protection from splinter when working over edges
- Overall length: 12"
- Handle Type: Wood
- Overall Length: 12"
- Head Material: Steel



BZ945



Model No.	MFG No.	Face Finish	Promo Price
PB139	AT WH-30	Cone/Cross Chisel	22.90
BZ945	AT WH-20	Chisel/Cone	22.90

## CAM ACTION CABLE CONNECTORS

- Manufactured from heavy wall precision-machined brass alloy
- Fit cable sizes 4 through 4/0
- Brass body assembly slides into heavy-duty neoprene insulator with no external screws
- Compatible with most common brands



NT664



Model No.	Description	Promo Price
NT650	Female Half w/Insulator	6.95
NT649	Male Half w/Insulator	7.95
NT664	Male/Female Connector Set	14.95



## PYTHONRAP™ CABLE COVER

- Nylon cover
- Full-length zipper
- 22' L x 4" W



Model No.	Promo Price
NT887	29.95

## 36" CUT LENGTH TIG ROD

- Convenient small package is ideal for maintenance and repair job
- MSDS are packaged in each tube
- Sold per 1-lb. tube

TTU932



weldcote  
metals

Model No.	MFG No.	Diameter"	Promo Price
<b>308L - STAINLESS STEEL</b>			
TTU921	308L116X36T1P	1/16	12.90/Tube
TTU922	308L332X36T1P	3/32	12.45/Tube
TTU923	308L18X36T1P	1/8	12.25/Tube
<b>316L - STAINLESS STEEL</b>			
TTU927	316L116X36T1P	1/16	15.30/Tube
TTU928	316L332X36T1P	3/32	14.70/Tube
TTU929	316L18X36T1P	1/8	14.55/Tube
<b>4043 - ALUMINUM</b>			
TTU930	4043116X36T1P	1/16	13.25/Tube
TTU931	4043332X36T1P	3/32	12.50/Tube
TTU932	404318X36T1P	1/8	12.40/Tube
<b>ER70S-2 - TRIPLE DEOXIDIZED STEEL</b>			
TTU936	ER70S2116X36T1P	1/16	9.45/Tube
TTU937	ER70S2332X36T1P	3/32	9.25/Tube
TTU938	ER70S218X36T1P	1/8	9.25/Tube
<b>LOW FUMING BRONZE - FLUX-COATED</b>			
TTU945	LFBFC332X36T1P	3/32	16.75/Tube
TTU946	LFBFC18X36T1P	1/8	16.50/Tube
<b>R45 - MILD STEEL</b>			
TTU947	R45116X36T1P	1/16	7.25/Tube
TTU948	R45332X36T1P	3/32	7.20/Tube
TTU949	R4518X36T1P	1/8	7.15/Tube

## QUIK STIK® MINI SOLID PAINT MARKER

- Temperature Marking Range: 0°F to 392°F (-18°C to 200°C)
- Fast-drying
- Marks on wet, smooth, rough, or hot surfaces
- Weather and UV resistant paint for long-lasting marks

OP543

Markal®  
High Performance Industrial Markers



Model No.	MFG No.	Fluorescent Colour	Promo Price
OP543	061041	Yellow	6.85
OP544	061042	Green	6.85
OP545	061043	Orange	6.85
OP546	061044	Pink	6.85

## FLEX-LOC™ TIG TORCH PACKAGES

- Flex-Loc™ series torch is a variable angle torch that locks into position within a 360° rotation
- Ergonomically designed to help eliminate fatigue
- Great for applications requiring a unique angle yet allowing the user a rigid torch
- Includes: Body assembly, replaceable torch head (with heat shield and back cap) and cable assembly

### AIR (GAS) COOLED TORCH

- Available with gas control valve and a Hi-Flex 1-piece concentric cable assembly
- Length: 8 1/2" with valve



820-1935

### WATER-COOLED TORCH

- Equipped with a Tri-Flex cable assembly
- Length: 7 3/4" without valve



820-1945



821-1750



821-1760

### TORCHES

Model No.	MFG No.	Amps	Cable	Head Style	Promo Price
<b>AIR-COOLED W/VALVE</b>					
820-1935	FL1525V	150	1-Piece, 25'	FL3L	299.00
<b>WATER-COOLED W/O VALVE</b>					
820-1945	FL2325	230	Tri-Flex, 25'	FL2L	269.00
820-1950	FL2525	250	Tri-Flex, 25'	FL3L	269.00

### REPLACEMENT TORCH HEADS

Model No.	MFG No.	Amps	Head Style	Promo Price
		Air-Cooled	Water-Cooled	
821-1750	FL2L	130	230	2 Series 56.90
821-1760	FL3L	150	250	3 Series 56.90

## TURBO-SHARP® X TUNGSTEN ELECTRODE GRINDER

- 115 V AC, 3.5 A, 30000 RPM no load speed motor
- 3-position adjustment for triple lifetime of grinding disc
- Stepless grinding angles adjustable from 20° to 60°
- Includes: Standard head for diameters: 0.040", 1/16", 3/32" and 1/8", accessory for stationary mounting, adapter for vacuum cleaning, pen-style electrode holder, multi-functional cover, tools for assembling and replacement of grinding wheel and metal carrying case
- CSA and CE approved
- 2-year manufacturer's warranty



Model No.	MFG No.	Promo Price
TTT401	TS10	1395.00

## WELDERS' PREMIUM QUALITY GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extend wear life
- Thermal cotton palm lining provides added heat protection
- Weltd seams at all critical points
- Sewn with Kevlar® thread to avoid burning
- Large



Model No.	Promo Price
SAN635	7.95/Pair

## FLEXIBLE FRAME GOGGLES

- Soft PVC frame seals out light leaks
  - Choice of 2" x 4 1/4" fixed front or flip front design
- Comes complete with shade 5 lens



NT646



NT647



Model No.	Description	Promo Price
NT646	Fixed Front	4.65
NT647	Flip Front	6.15

## SPEEDGLAS™ 9100V SERIES WELDING HELMET

- Designed for optimal comfort and protection
- Head suspension changes not only how you wear the helmet, but also how you experience fit, stability and balance
- Smooth up-and-down pivot action that gently locks in the "up" position and the suspension keeps the helmet closer to user's head
- Light state shade 3 with five sensitivity levels
- Shade Range: 3
- Lens Viewing Area: 1.8" x 3.75"
- Colour: Black
- Certification(s): CSA standard Z94.3



Model No.	MFG No.	Promo Price
SEJ101	06-0100-10	408.00

## LAVA BROWN LEATHER JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
- Double-lock stitched seams
- Roll-up collar stops shooting spatter
- Includes: Full-sized pocket and multiple-snap adjustment cuffs



Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	120.00
TTU399	Large	44-46	120.00
TTU400	X-Large	48-50	120.00
TTU401	2X-Large	52-54	135.00
TTU402	3X-Large	56-58	145.00
TTU403	5X-Large	64-66	165.00

## ROD HOLDER


- Double leather bottom and metal swivel clip
- 5-ply Kevlar® stitched with rivet reinforcement



Model No.	Promo Price
NP519	7.20

## WILSON\* WELDING UMBRELLA

- Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Cover made of rip-stop vinyl which is water resistant, fire retardant and very tear resistant
- 6 1/2' Dia. x 7' H



Model No.	MFG No.	Promo Price
146-2050	3019277	109.00





## INFRARED THERMOMETER

- Built-in laser pointer identifies target area
- Temperature range: -58° to 932°F (-50° to 500°C)
- 8:1 distance to spot size ratio
- Automatic data hold
- Max./min. temperature display

**REED**

Model No.	MFG No.	Promo Price
IB537	R2002	79.90

## AC/DC CLAMP METER

- Measures AC current, AC and DC voltage, as well as temperature
- Diode test and continuity check
- Cat. III 600 V safety rating

**REED**

Model No.	MFG No.	Promo Price
IA982	R5020	89.00



## WIND-UP EXTENSION CORD

- 10 A, 1250 W
- 4 grounded outlets
- 25' cord length
- Gauge (AWG): 16/3
- Built-in resettable circuit breaker



*aurora tools*

Model No.	Promo Price
XE671	29.95

## PORTABLE HALOGEN WORK LIGHTS

- Housing material: Steel
- Adjustable tilting head
- Halogen bulbs included
- XC950: Adjustable tripod for desired height



*aurora tools*

Model No.	Description	Lumens	Promo Price
XC949	500 W Light	8000	19.99
XC950	Twin 500 W Lights	16000	59.99

## INSPECTION CAMERA

- 3.2" colour screen with 320 x 240 pixel resolution
- Save high resolution JPG images and live video
  - Camera diameter: 17 mm (0.66")



**REED**

Model No.	MFG No.	Promo Price
IA674	BS-150	269.00

## STYLUS PRO® PENLIGHT

- Compact, high powered LED produces up to 48 lumens
- Corrosion and water-resistant, constructed of machined aircraft-grade aluminum alloy
  - Tail switch features momentary blink and constant "ON" modes
  - 30000-hour lifetime, 0.5 W LED never needs to be replaced
- Includes: Two AAA alkaline batteries, nylon holster and pocket clip



**STREAMLIGHT**

Model No.	MFG No.	Promo Price
XC394	661118	29.99

## N95 PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- NIOSH approved N95

SAS498



SAS497



**ZENITH**  
Safety Products

Model No.	Description	Qty /Box	Promo Price
SAS497	Without valve	20	10.50/Box
SAS498	With valve	12	11.95/Box

## PREMIUM COWHIDE DRIVERS GLOVES

- Premium grain cowhide leather palm with split cowhide back provides superior comfort, durability and dexterity
- Features a smooth leather finish, unlined palm and provides a snug fit
- Kevlar® stitching improves seam strength and reduces seam burnout



**ZENITH**  
Safety Products

Model No.	Size	Promo Price
SDK966	Medium	8.00/Pair
SDK967	Large	8.15/Pair
SDK968	X-Large	8.45/Pair

## 3M™ VIRTUA™ CCS EYEWEAR W/FOAM GASKET

- Comfortable, lightweight frame features the Cord Control System (CCS) with an optional foam gasket attachment
- CCS is designed to keep a corded earplug attached, untangled, and ready for use
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning
- Anti-fog polycarbonate lens absorb 99.9% UV
- Standard(s) Met: CSA Z94.3/Ansi Z87+

SEH157



SEH158



**3M**

Model No.	MFG No.	Lens Tint	Promo Price
SEH156	11872	Clear	8.55
SEH157	11873	Grey/Smoke	8.55
SEH158	11874	Indoor/Outdoor Mirror	9.20

## 3M™ DISPOSABLE EARPLUGS

- Individually packaged
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane foam offers superior comfort
- NRR 29 dB
- CSA Z94.2 Class AL

SI762



**3M**

Model No.	MFG No.	Description	Pairs /Box	Promo Price
SI762	1100	Uncorded	200	25.95/Box
SAG359	1110	Corded	100	34.95/Box

## WELDERS' FIRST AID KIT

- Plastic box

**SAFE + CROSS**  
FIRST AID LTD.



Model No.	MFG No.	Promo Price
SAY248	01250	46.95

## HEAD & FACE PROTECTION SYSTEM

- Contains:
  - 1 SAF960 V-Gard® yellow hard hat
  - 1 SEJ998 Frame for V-Gard®
  - 1 SEK030 Clear polycarbonate faceshield

**MSA**  
The Safety Company



Model No.	Promo Price
SAM401	22.95



## GRAIN PIGSKIN FLEECE-LINED FITTERS GLOVES

- Full cotton white fleece lining provides moderate warmth
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Safety cuff provides good protection
  - Full leather-tipped fingers and knuckle strap provide increased protection
  - Large

Model No.	Promo Price
SAP295	5.30/Pair

## GRAIN PIGSKIN FOAM FLEECE-LINED FITTERS GLOVES

- Full red foam fleece lining provides excellent warmth
- Performs better in wet applications than cowhide grain or split leather
- 1 1/2" safety cuff provides good protection
- Full leather-tipped fingers and knuckle strap provide increased protection



SEI571



Model No.	Size	Promo Price
SDL465	Small	7.75/Pair
SDL021	Medium	7.95/Pair
SEI571	Large	8.00/Pair
SEI572	X-Large	8.10/Pair

## HEAVY-DUTY CEILING MOUNT HEATER

- Automatic fan delay
- Three heat settings (2500 W, 4165 W and 5000 W)
- Built-in ceiling bracket for easy mounting
- Ideal for use in barns, storage rooms, workshops, garages, warehousing
- Rugged heavy-duty industrial heater
- Voltage: 240 V
- Min. BTU/h Rating: 8530
- Max. BTU/h Rating: 17 060



Model No.	Promo Price
EA532	199.00

## CONTRACTOR HEATER

- 6' heavy-duty cord
- 12 1/4" W x 10 3/4" D x 12" H
- Built-in handle/cord storage
- Built-in thermostat
- Permanently lubricated motor
- Safety high temperature limit
- Steel spiral fin brazed to metal sheath elements for maximum heat transfer
- 240 V, 5600 W
- BTU/h Rating: 19 100
- Plug Type: #6-30P



Model No.	Promo Price
EA477	167.00

## POLY SNOW SHOVELS

- Powder-coated steel handle
- Ergonomic poly D-grip handle



NJ153



NJ151



Model No.	Blade"	Length"	Steel Wear Strip Included	Promo Price
NJ151	19 3/4 x 13	54 3/4	No	16.95
NJ153	21 1/8 x 9	49 1/2	Yes	19.95

## HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
  - Heavy-duty kit with durable cast iron and steel nozzle
    - 500 000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
  - Includes: 10' neoprene hose, striker and on/off valve



Model No.	MFG No.	Promo Price
312-4904	WB-101	99.95

Pricing in effect until April 14, 2017 or while quantities last. Taxes and freight extra. Issue #SDW7001NA  
Prices are subject to change, and may vary without prior notice.